

PEPTIDE PUBLICATIONS

1. Peptide publications from Mimotopes Pty Ltd or Collaborators

Thomas, D. A.; Francis, P.; Smith, C.; Ratcliffe, S.; Ede, N. J.; Kay, C.; Wayne, G.; Martin, S. L.; Moore, K.; Amour, A.; Hooper, N. M., A broad-spectrum fluorescence-based peptide library for the rapid identification of protease substrates. *Proteomics* **2006**, 6, (7), 2112-20.

Ercole, F.; FitzGerald, M.; Perera, S.; Ede, N.; Riley, P.; Campbell, R., A combinatorial approach in designing hydrophilic surfaces for solid-phase peptide synthesis. *J. Appl. Polym. Sci.* **2003**, 89, (12), 3371-3378.

Khammanivong, V.; Liu, X. S.; Liu, W. J.; Rodda, S. J.; Leggatt, G. R.; Tindle, R. W.; Frazer, I. H.; Fernando, G. J., Paucity of functional CTL epitopes in the E7 oncoprotein of cervical cancer associated human papillomavirus type 16. *Immunol. Cell Biol.* **2003**, 81, (1), 1-7.

Nelson, P. N.; Westwood, O. M.; Soltys, A.; Jefferis, R.; Goodall, M.; Baumforth, K. R.; Frampton, G.; Tribbick, G.; Roden, D.; Hay, F. C., Characterisation of epitopes of pan-IgG/anti-G3m(u) and anti-Fc monoclonal antibodies. *Immunol. Lett.* **2003**, 88, (1), 77-83.

Takahashi, T.; Nagamiya, H.; Doi, T.; Griffiths, P. G.; Bray, A. M., Solid phase library synthesis of cyclic depsipeptides: aurilide and aurilide analogues. *J. Comb. Chem.* **2003**, 5, (4), 414-428.

Deliyannis, G.; Jackson, D. C.; Ede, N. J.; Zeng, W.; Hourdakis, I.; Sakabetis, E.; Brown, L. E., Induction of long-term memory CD8(+) T cells for recall of viral clearing responses against influenza virus. *J. Virol.* **2002**, 76, (9), 4212-21.

Ede, N. J., Multiple parallel synthesis of peptides on SynPhase grafted supports. *J. Immunol. Methods* **2002**, 267, (1), 3-11.

Fitzgerald, M.; Ercole, F.; Perera, S.; Riley, P.; Campbell, R.; Pham, Y.; Rea, P.; Sandanayake, S.; Wu, Z.; Ede, N. J. In *Development of hydrophilic polyamide SynPhase lanterns: synthesis of α -ketoamide peptidomimetics*, Peptides 2002, Proceedings of the 27th European Peptide Symposium, Sorrento, Italy, Aug. 31-Sept. 6, 2002; Benedetti, E.; Pedone, C., Eds. Sorrento, Italy, 2002; pp 90-91.

Rodda, S. J., Peptide libraries for T cell epitope screening and characterization. *J. Immunol. Methods* **2002**, 267, (1), 71-77.

Tribbick, G., Multipin peptide libraries for antibody and receptor epitope screening and characterization. *J. Immunol. Methods* **2002**, 267, (1), 27-35.

Tribbick, G.; Rodda, S., Combinatorial methods for discovery of peptide ligands which bind to antibody-like molecules. *Journal Of Molecular Recognition* **2002**, 15, (5), 306-310.

Wu, Z.; Ercole, F.; Fitzgerald, M.; Perera, S.; Riley, P.; Campbell, R.; Pham, Y.; Rea, P.; Sandanayake, S.; Ede, N. J., Development of hydrophilic polyamide SynPhaseTM Lanterns: synthesis of α -ketoamide peptidomimetics. In *Peptides 2002*, Benedetti, E.; Pedone, C., Eds. Edizioni Ziino: Napoli, 2002; pp 90-91.

Deliyannis, G.; Jackson, D. C.; Harling-McNabb, L.; Zeng, W.; Ede, N. J.; Hourdakis, I.; Rudd, M.; Kelso, A.; Brown, L. E., Lipopeptide vaccines: a strategy for improving protective immunity against influenza. *International Congress Series* **2001**, 1219, 993-998.

Ede, N.; Subra, G.; Perera, S. In *Automated Fmoc-peptide synthesis: use of SynPhase PA lanterns and PS-resin in an ACT 496Ω multiple synthesizer*, Innovation and Perspectives in Solid Phase Synthesis & Combinatorial Libraries: Peptides, Proteins and Nucleic Acids--Small Molecule Organic Chemistry Diversity, Collected Papers, International Symposium, 7th, Southampton, United Kingdom, Sept. 18-22, 2001; Epton, R., Ed. Mayflower Worldwide Ltd.: Southampton, United Kingdom, 2001; pp 21-24.

Edmundson, A. B.; Tribbick, G.; Plompen, S.; Geysen, H. M.; Yuriev, E.; Ramsland, P. A., Binding of synthetic peptides by a human monoclonal IgM with an unusual combining site structure. *Journal Of Molecular Recognition* **2001**, 14, (4), 229-38.

Goldstein, G.; Tribbick, G.; Manson, K., Two B cell epitopes of HIV-1 Tat protein have limited antigenic polymorphism in geographically diverse HIV-1 strains. *Vaccine* **2001**, 19, (13-14), 1738-46.

Bui, C. T.; Bray, A. M.; Nguyen, T.; Ercole, F.; Maeji, N. J., Solid phase synthesis of C-terminal peptide amides: development of a new aminoethyl-polystyrene linker on the Multipin solid support. *J. Pept. Sci.* **2000**, 6, (5), 243-50.

Bui, C. T.; Bray, A. M.; Nguyen, T.; Ercole, F.; Rasoul, F.; Sampson, W.; Maeji, N. J., Acetophenone-based linker for solid-phase peptide synthesis. *J. Pept. Sci.* **2000**, 6, (2), 49-56.

Bui, C. T.; Ercole, F.; Pham, Y.; Campbell, R.; Rasoul, F. A.; Maeji, N. J.; Ede, N. J., Improving the performance of an acid-labile 4-hydroxymethylphenoxyacetic acid (HMP) linker on resin and SynPhase grafted solid-supports. *J. Pept. Sci.* **2000**, 6, (10), 534-538.

Ede, N. J.; Eagle, S. N.; Wickham, G.; Bray, A. M.; Warne, B.; Shoemaker, K.; Rosenberg, S., Solid phase synthesis of peptide aldehyde protease inhibitors. Probing the proteolytic sites of hepatitis C virus polyprotein. *J. Pept. Sci.* **2000**, 6, (1), 11-8.

Ede, N. J.; Hunter, A. N.; Trainor, R. W.; Griffiths, P. G. In *Combinatorial multiple parallel synthesis on modular grafted solid supports*, Peptides 2000, Proceedings of the European Peptide Symposium, 26th, Montpellier, France, Sept. 10-15, 2000; Martinez, J.; Fehrentz, J.-A., Eds. Editions EDK, Paris, Fr: Montpellier, France, 2000; pp 147-148.

Goldstein, G.; Manson, K.; Tribbick, G.; Smith, R., Minimization of chronic plasma viremia in rhesus macaques immunized with synthetic HIV-1 Tat peptides and infected with a chimeric simian/human immunodeficiency virus (SHIV33). *Vaccine* **2000**, 18, (25), 2789-95.

Bray, A. M.; Ede, N. J.; James, I. W.; Wickham, G., Synthesis of peptides by the Multipin™ method. In *Fmoc Solid Phase Synthesis: A Practical Approach*, White; Chen, Eds. Oxford University Press: Oxford, 1999; pp 319-325.

Ede, N. J.; Bray, A. M., Synthesis of C-terminal peptide aldehydes on the Multipin™ system using the oxazolidine linker. In *Fmoc Solid Phase Synthesis: A Practical Approach*, White; Chen, Eds. Oxford University Press: Oxford, 1999; pp 161-166.

Ede, N. J.; Bray, A. M., A simple linker for the attachment of aldehydes to the solid phase. Application to solid phase synthesis by the Multipin™ method. In *Peptide Science-Present and Future*, Shimonishi, Ed. Kluwer: 1999; pp 508-510.

Ede, N. J.; James, I. W.; Krywult, B. M.; Griffiths, R. M.; Eagle, S. N.; Gubbins, B.; Leitch, J. A.; Sampson, W. R.; Bray, A. M., Synthesis of hydroxamic acids using SynPhase crowns: development of the hydroxylamine trityl linker. *Lett. Pept. Sci.* **1999**, 6, (2-3), 157-163.

Leers, M. P.; Kolgen, W.; Bjorklund, V.; Bergman, T.; Tribbick, G.; Persson, B.; Bjorklund, P.; Ramaekers, F. C.; Bjorklund, B.; Nap, M.; Jornvall, H.; Schutte, B., Immunocytochemical detection and mapping of a cytokeratin 18 neo-epitope exposed during early apoptosis. *J. Pathol.* **1999**, 187, (5), 567-72.

Perich, J. W.; Ede, N. J.; Eagle, S.; Bray, A. M., Synthesis of phosphopeptides by the Multipin™ method: Evaluation of coupling methods for the incorporation of Fmoc-Tyr(PO₃Bzl,H)-OH, Fmoc-Ser(PO₃Bzl,H)-OH, Fmoc-Thr(PO₃Bzl,H)-OH. *Lett. Pept. Sci.* **1999**, 6, 91-97.

Sampson, W. R.; Patsiouras, H.; Ede, N. J., The synthesis of 'difficult' peptides using 2-hydroxy-4-methoxybenzyl or pseudoproline amino acid building blocks: a comparative study. *J. Pept. Sci.* **1999**, 5, (9), 403-9.

Panchanathan, V.; Naidu, B. R.; Devi, S.; Di Pasquale, A.; Mason, T.; Pang, T., Immunogenic epitopes of *Salmonella typhi* GroEL heat shock protein reactive with both monoclonal antibody and patients sera. *Immunol. Lett.* **1998**, 62, (2), 105-9.

Roberts, K. D.; Lambert, J. N.; Ede, N. J.; Bray, A. M., Efficient synthesis of thioether-based cyclic peptide libraries. *Tetrahedron Lett.* **1998**, 39, (45), 8357-8360.

Adams, E.; Basten, A.; Rodda, S.; Britton, W. J., Human T-cell clones to the 70-kilodalton heat shock protein of *Mycobacterium leprae* define mycobacterium-specific epitopes rather than shared epitopes. *Infection & Immunity* **1997**, 65, (3), 1061-70.

Bray, A. M., Multiple peptide synthesis with commercially available Multipin kits. *Immunology Methods Manual* **1997**, 2, 809-816.

Kim, J.; Sette, A.; Rodda, S.; Southwood, S.; Sieling, P. A.; Mehra, V.; Ohmen, J. D.; Oliveros, J.; Appella, E.; Higashimoto, Y.; Rea, T. H.; Bloom, B. R.; Modlin, R. L., Determinants of T cell reactivity to the *Mycobacterium leprae* GroES homologue. *J. Immunol.* **1997**, 159, (1), 335-43.

Rodda, S. J., T cell epitope mapping with Multipin peptides. *Immunology Methods Manual* **1997**, 2, 827-834.

Tribbick, G., Antibody epitope mapping with Multipin peptides. *Immunology Methods Manual* **1997**, 2, 817-826.

Virgilio, A. A.; Bray, A.; Zhang, W.; Trinh, L.; Snyder, M.; Morrissey, M. M.; Ellman, J. A., Synthesis and evaluation of a library of peptidomimetics based upon the β-turn. *Tetrahedron Lett.* **1997**, 53, 6635-6644.

Bray, A. M. Method and apparatus for efficient mimotope discovery. 9612186, 1996.

Bray, A. M. In *The transformed group library method: A new library design and mixture decode strategy*, Peptides: Chemistry, Structure and Biology Proc of the American Peptide Symposium, Columbus, Ohio, 1996; Kaumaya, P. T. P., Ed. ESCOM, Leiden: Columbus, Ohio, 1996; pp 290-292.

Bray, A. M.; Maeji, N. J.; Lagniton, L. M.; Chiefari, D.; James, I. W.; Ang, K.; Ede, N.; Valerio, R. M.; Mason, T. J. In *Simultaneous multiple synthesis by the Multipin method: techniques for multiple handling, high throughput characterization and reaction optimization on solid phase*, Peptides: Biology and Chemistry, Proceedings of the 4th Chinese Peptide Symposium, Chengdu, Peop. Rep. China, 1996; Chengdu, Peop. Rep. China, 1996; pp 67-70.

Ede, N. J.; Ang, K. H.; James, I. W.; Bray, A. M., Incorporation of 2-hydroxy-4-methoxybenzyl protection during peptide synthesis via reductive alkylation on the solid phase. *Tetrahedron Lett.* **1996**, 37, (50), 9097-9100.

Forest, K. T.; Bernstein, S. L.; Getzoff, E. D.; So, M.; Tribbick, G.; Geysen, H. M.; Deal, C. D.; Tainer, J. A., Assembly and antigenicity of the *Neisseria gonorrhoeae* pilus mapped with antibodies. *Infection & Immunity* **1996**, 64, (2), 644-52.

Rodda, S., Branched DNA technology as a new tool for nucleic acid quantitation. *Australas. Biotechnol.* **1996**, 6, (5), 281-282.

Rodda, S.; Tribbick, G.; Geysen, H. M., Epitope mapping with the use of peptide libraries. In *Combinatorial Peptide and Nonpeptide Libraries A Handbook*, Jung, G., Ed. VCH: Weinheim, 1996; pp 303-326.

Rodda, S. J., T-cell epitope mapping with synthetic peptides and peripheral blood mononuclear cells. In *Methods in Molecular Biology, Epitope Mapping Protocols*, Morris, G. E., Ed. Humana Press: Totowa, New Jersey, 1996; Vol. 66, pp 363-371.

Rodda, S. J.; Geysen, H. M.; Tribbick, G., Epitope delineation using multiple peptide synthesis. In *Structure of Antigens*, van Regenmortel, M. H. V., Ed. CRC Press: Boca Raton, 1996; Vol. 3, pp 37-60.

Rodda, S. J.; Maeji, N. J.; Tribbick, G., Epitope mapping using Multipin peptide synthesis. In *Methods in Molecular Biology*, Morris, G. E., Ed. Humana Press: Totowa, New Jersey, 1996; Vol. 66, pp 137-147.

Rodda, S. J.; Tribbick, G., Antibody-defined epitope mapping using the Multipin method of peptide synthesis. In *Methods: A Companion to Methods in Enzymology*, 1996; Vol. 9, pp 473-481.

Smart, S. S.; Mason, T. J.; Bennell, P. S.; Maeij, N. J.; Geysen, H. M., High-throughput purity estimation and characterisation of synthetic peptides by electrospray mass spectrometry. *Int. J. Pept. Protein Res.* **1996**, 47, (1-2), 47-55.

Valerio, R.; Wang, J.-X. Preparation of branched tripeptide combinatorial libraries useful in treatment of urokinase-type plasminogen activator-mediated disorders. 9624610, 1996.

Valerio, R. M.; Bray, A. M.; Patsouras, H., Multipin solid phase synthesis of ethers using modified Mitsunobu chemistry. *Tetrahedron Lett.* **1996**, 37, 3019-3022.

Ward, C. W.; Gough, K. H.; Rashke, M.; Wan, S. S.; Tribbick, G.; Wang, J., Systematic mapping of potential binding sites for Shc and Grb2 SH2 domains on insulin receptor substrate-1 and the receptors for insulin, epidermal growth factor, platelet-derived growth factor, and fibroblast growth factor. *J. Biol. Chem.* **1996**, 271, (10), 5603-9.

Bastos, M.; Maeji, N. J.; Abeles, R. H., Inhibitors of human heart chymase based on a peptide library. *Proc. Nat. Acad. Sci. USA* **1995**, 92, (15), 6738-42.

Bray, A. M.; Chiefari, D. S.; Valerio, R. M.; Maeji, N. J., Rapid optimization of organic reactions on solid phase using the Multipin approach: synthesis of 4-aminoproline analogs by reductive amination. *Tetrahedron Lett.* **1995**, 36, (28), 5081-4.

Bray, A. M.; Valerio, R. M.; Dipasquale, A. J.; Greig, J.; Maeji, N. J., Multiple synthesis by the Multipin method as a methodological tool. *J. Pept. Sci.* **1995**, 1, (1), 80-7.

Dapremont, L.; Valerio, R. M.; Bray, A. M.; Stewart, K. M.; Mason, T. J.; Wang, A. W.; Maeji, N. J. In *Multiple synthesis using the Multipin method*, Physiological Chemistry and Physics and Medical NMR (4, Proceedings of the 1st International Symposium Trends in Peptide Research), Suresnes, France, 1995; Suresnes, France, 1995; pp 339-343.

Fahrer, A.; Geysen, H.; White, D.; Jackson, D.; Brown, L., Analysis of the requirements for class II-restricted T cell recognition of a single determinant reveals considerable diversity in the T cell response and degeneracy of peptide binding to I-Ed. *J. Immunol.* **1995**, 155, (6), 2849-57.

Geysen, H. M.; Rodda, S. J. T-cell epitopes. 9518148, 1995.

Kumar, V.; Tabibazar, R.; Geysen, H.; Sercarz, E., Immunodominant framework region 3 peptide from TCR V beta 8.2 chain controls murine experimental autoimmune encephalomyelitis. *J. Immunol.* **1995**, 154, (4), 1941-50.

Maeji, N. J.; Bray, A. M.; Valerio, R. M.; Wang, W., Larger scale Multipin peptide synthesis. *Pept. Res.* **1995**, 8, (1), 33-8.

Nanda, N.; Arzoo, K.; Geysen, H.; Sette, A.; Sercarz, E., Recognition of multiple peptide cores by a single T cell receptor. *J. Exp. Med.* **1995**, 182, (2), 531-9.

Suhrbier, A.; Burrows, S. R.; Gardner, J.; Rodda, S., Modification of the carboxyl terminal group affects replacement set analysis of a cytotoxic T cell epitope. *Pept. Res.* **1995**, 8, (5), 258-62.

Valerio, R. M.; Bray, A. M.; Maeji, N. J.; Morgan, P. O.; Perich, J. W., Preparation of O-phosphotyrosine-containing peptides by Fmoc solid-phase synthesis: evaluation of several Fmoc-Tyr(PO₃R₂)-OH derivatives. *Lett. Pept. Sci.* **1995**, 2, (1), 33-40.

Barnden, M. J.; Heath, W. R.; Rodda, S.; Carbone, F. R., Peptide antagonists that promote positive selection are inefficient at T cell activation and thymocyte deletion. *Eur. J. Immunol.* **1994**, 24, (10), 2452-6.

Bhardwaj, V.; Kumar, V.; Grewal, I. S.; Dao, T.; Lehmann, P. V.; Geysen, H. M.; Sercarz, E. E., T cell determinant structure of myelin basic protein in B10.PL, SJL/J, and their F1S. *J. Immunol.* **1994**, 152, (8), 3711-9.

Bray, A. M.; Jhingran, A. G.; Valerio, R. M.; Maeji, N. J., Simultaneous multiple synthesis of peptide amides by the Multipin method. Application of vapor-phase ammonolysis. *J. Org. Chem.* **1994**, 59, (8), 2197-203.

Bray, A. M.; Lagniton, L. M.; Valerio, R. M.; Maeji, N. J., Sonication-assisted cleavage of hydrophobic peptides. Application in Multipin peptide synthesis. *Tetrahedron Lett.* **1994**, 35, (48), 9079-82.

Bungy, G. A.; Rodda, S.; Roitt, I.; Brostoff, J., Mapping of T cell epitopes of the major fraction of rye grass using peripheral blood mononuclear cells from atopics and non-atopics. II. Isoallergen clone 5A of Lolium perenne group I (Lol p I). *Eur. J. Immunol.* **1994**, 24, (9), 2098-103.

Burrows, S. R.; Gardner, J.; Khanna, R.; Steward, T.; Moss, D. J.; Rodda, S.; Suhrbier, A., Five new cytotoxic T cell epitopes identified within Epstein-Barr virus nuclear antigen 3. *J. Gen. Virol.* **1994**, 75 (Pt 9), 2489-93.

Cheung, N. S.; Karlsson, P.; Wang, J. X.; Bienert, M.; Oehme, P.; Livett, B. G., Functional studies with substance P analogues: effects of N-terminal, C-terminal, and C-terminus-extended analogues of substance P on nicotine-induced secretion and desensitization in cultured bovine adrenal chromaffin cells. *J. Neurochem.* **1994**, 62, (6), 2246-53.

Geysen, H. M.; Maeji, N. J.; Bray, A. M.; Valerio, R. M. Support for the synthesis of modular polymers. 9411388, 1994.

Lohmann, T.; Leslie, R. D.; Hawa, M.; Geysen, M.; Rodda, S.; Londei, M., Immunodominant epitopes of glutamic acid decarboxylase 65 and 67 in insulin-dependent diabetes mellitus. *Lancet* **1994**, 343, (8913), 1607-8.

Maeji, N. J.; Valerio, R. M.; Bray, A. M.; Campbell, R. A.; Geysen, H. M., Grafted supports used with the Multipin method of peptide synthesis. *React. Polym.* **1994**, 22, (3), 203-12.

Mason, T. J.; Bennell, P. S.; Smart, S. S.; Valerio, R. M.; Bray, A. M.; Maeji, N. J.; Geysen, H. M. In *High throughput analysis of peptides and their libraries by mass spectrometry*, Peptides 1994, Proceedings of the European Peptide Symposium, 23rd, Braga, Port., Sept. 4-10, 1994; Maia, H. L. S., Ed. Braga, Port., 1994; pp 94-95.

Mutch, D.; Underwood, J.; Geysen, M.; Rodda, S., Comprehensive T-cell epitope mapping of HIV-1 env antigens reveals many areas recognized by HIV-1-seropositive and by low-risk HIV-1-seronegative individuals. *J. Acquir. Immune Defic. Syndr.* **1994**, 7, (9), 879-90.

Reece, J. C.; McGregor, D. L.; Geysen, H. M.; Rodda, S. J., Scanning for T helper epitopes with human PBMC using pools of short synthetic peptides. *J. Immunol. Methods* **1994**, 172, (2), 241-54.

Rodda, S. J., Gnets, Wnets, and Rnets for antibody epitope mapping. *American Biotechnology Laboratory* **1994**, 12, (2), 119.

Rodda, S. J.; Mason, T. J.; Maeji, N. J., Multipin peptide synthesis. *Pharmaceutical Manufacturing International* **1994**, 51-54.

Underwood, J. R.; Cartwright, G. A.; McCall, A. M.; Tribbick, G.; Geysen, M. H.; Hearn, M. T., Monoclonal anti-H1 histone autoantibodies from unimmunized Balb/c mice. Specificity and VH and VL domain sequences. *J. Autoimmun.* **1994**, 7, (3), 291-320.

Valerio, R. M.; Bray, A. M.; Geysen, H. M.; Maeji, N. J. In *"Difficult" sequence prediction: A requirement for multiple peptide synthesis?*, 13th American Peptide Symposium Peptides: Chemistry, Structure and Biology, 1994; Hodges, R. S.; Smith, J. A., Eds. ESCOM, Leiden: 1994; pp 1021-1023.

Valerio, R. M.; Bray, A. M.; Maeji, N. J., Multiple peptide synthesis on acid-labile handle derivatized polyethylene supports. *Int. J. Pept. Protein Res.* **1994**, 44, (2), 158-65.

Wang, J.-X.; Rodda, S.; Tribbick, G.; Bray, A. M.; Valerio, R. M.; Maeji, N. J. In *Drug lead discovery and systematic analoging using the Multipin technique*, Peptides: Biology and Chemistry, Proceedings of the Chinese Peptide Symposium, 3rd, Beijing, June 13-17, 1994; Lu, G.-S.; Tam, J. P.; Du, Y.-C., Eds. ESCOM, Leiden: Beijing, 1994; pp 278-282.

Bhardwaj, V.; Kumar, V.; Geysen, H.; Sercarz, E., Degenerate recognition of a dissimilar antigenic peptide by myelin basic protein-reactive T cells. Implications for thymic education and autoimmunity. *J. Immunol.* **1993**, 151, (9), 5000-10.

Bray, A. M.; Maeji, N. J.; Valerio, R. M.; Wang, J. X.; DiPasquale, A. J.; Geysen, H. M. In *Simultaneous multiple peptide synthesis: a potent tool for hormone analog studies*, Pept 1992, Proc Eur Pept Symp, 22nd, 1993; Schneider, C. H.; Eberle, A. N., Eds. 1993; pp 57-8.

Bray, A. M.; Valerio, R. M.; Maeji, N. J., Cleavage of resin-bound peptide esters with ammonia vapor. Simultaneous multiple synthesis of peptide amides. *Tetrahedron Lett.* **1993**, 34, (27), 4411-14.

Bungy Poor Fard, G. A.; Latchman, Y.; Rodda, S.; Geysen, M.; Roitt, I.; Brostoff, J., T cell epitopes of the major fraction of rye grass Lolium perenne (Lol p 1) defined using overlapping peptides in vitro and in vivo. I. Isoallergen clone1A. *Clinical & Experimental Immunology* **1993**, 94, (1), 111-6.

Chen, W.; McCluskey, J.; Rodda, S.; Carbone, F. R., Changes at peptide residues buried in the major histocompatibility complex (MHC) class I binding cleft influence T cell recognition: a possible role for indirect conformational alterations in the MHC class I or bound peptide in determining T cell recognition. *J. Exp. Med.* **1993**, 177, (3), 869-73.

Edmundson, A. B.; Harris, D. L.; Fan, Z. C.; Guddat, L. W.; Schley, B. T.; Hanson, B. L.; Tribbick, G.; Geysen, H. M., Principles and pitfalls in designing site-directed peptide ligands. *Proteins* **1993**, 16, (3), 246-67.

Geysen, H. M.; Mason, T. J., Screening chemically synthesized peptide libraries for biologically-relevant molecules. *Bioorg. Med. Chem. Lett.* **1993**, 3, (3), 397-404.

Kelly, J. M.; Sterry, S. J.; Cose, S.; Turner, S. J.; Fecondo, J.; Rodda, S.; Fink, P. J.; Carbone, F. R., Identification of conserved T cell receptor CDR3 residues contacting known exposed peptide side chains from a major histocompatibility complex class I-bound determinant. *Eur. J. Immunol.* **1993**, 23, (12), 3318-26.

Lachumanan, R.; Devi, S.; Cheong, Y. M.; Rodda, S. J.; Pang, T., Epitope mapping of the Sta58 major outer membrane protein of Rickettsia tsutsugamushi. *Infection & Immunity* **1993**, 61, (10), 4527-31.

Maeji, N. J.; Valerio, R. M.; Bray, A. M.; Tribbick, G.; Spellmeyer, D. C.; Brown, S. A.; Stauber, G. B.; Geysen, H. M., Multiple peptide synthesis on radiation grafted supports. *Proceedings of the 2nd Japan Symposium on Peptide Chemistry* **1993**, 657-8.

Reece, J. C.; Geysen, H. M.; Rodda, S. J., Mapping the major human T helper epitopes of tetanus toxin. The emerging picture. *J. Immunol.* **1993**, 151, (11), 6175-84.

Rodda, S., Pin peptide synthesis. *Pept. Res.* **1993**, 6, (6), 353.

Rodda, S. J.; Benstead, M.; Geysen, H. M., Exhaustive helper T cell determinant mapping of influenza type A antigens with synthetic peptides and human peripheral blood mononuclear cells. In *Options for the Control of Influenza II*, Hannoun, C.; al., e., Eds. Excerpta Medica: Amsterdam, London, New York, Tokyo, 1993; pp 237-243.

Rodda, S. J.; Mason, T. J.; Maeji, N. J., Multipin technology in the preparation and screening of peptide libraries. *Australas. Biotechnol.* **1993**, 3, (6), 346-7.

Spellmeyer, D. C.; Brown, S.; Stauber, G. B.; Geysen, H. M.; Valerio, R., Endothelin receptor ligands. Replacement net approach to SAR determination of potent hexapeptides. *Bioorg. Med. Chem. Lett.* **1993**, 3, 519-524.

Spellmeyer, D. C.; Brown, S.; Stauber, G. B.; Geysen, H. M.; Valerio, R., Endothelin receptor ligands. Multiple D-amino acid replacement net approach. *Bioorg. Med. Chem. Lett.* **1993**, 3, 1253-1256.

Tribbick, G., Developments in ELISA: the use of biotinylated peptides in the assessment of anti peptide sera. *American Biotechnology Laboratory* **1993**, 11, (13), 32.

Valerio, R. M.; Bray, A. M.; Campbell, R. A.; Dipasquale, A.; Margellis, C.; Rodda, S. J.; Geysen, H. M.; Maeji, N. J., Multipin peptide synthesis at the micromole scale using 2-hydroxyethyl methacrylate grafted polyethylene supports. *Int. J. Pept. Protein Res.* **1993**, 42, (1), 1-9.

Wang, J. X.; Bray, A. M.; DiPasquale, A. J.; Maeji, N. J.; Geysen, H. M., Application of the Multipin peptide synthesis technique for peptide receptor binding studies: substance P as a model system. *Bioorg. Med. Chem. Lett.* **1993**, 3, (3), 447-50.

Wang, J. X.; Bray, A. M.; Dipasquale, A. J.; Maeji, N. J.; Geysen, H. M., Systematic study of substance P analogs. I. Evaluation of peptides synthesized by the Multipin method for quantitative receptor binding assay. *Int. J. Pept. Protein Res.* **1993**, 42, (4), 384-91.

Wang, J. X.; DiPasquale, A. J.; Bray, A. M.; Maeji, N. J.; Geysen, H. M., Study of stereo-requirements of substance P binding to NK1 receptors using analogs with systematic D-amino acid replacements. *Bioorg. Med. Chem. Lett.* **1993**, 3, (3), 451-6.

Wang, J. X.; Dipasquale, A. J.; Bray, A. M.; Maeji, N. J.; Spellmeyer, D. C.; Geysen, H. M., Systematic study of substance P analogs. II. Rapid screening of 512 substance P stereoisomers for binding to NK1 receptor. *Int. J. Pept. Protein Res.* **1993**, 42, (4), 392-9.

Zeder-Lutz, G.; Altschuh, D.; Denery-Papini, S.; Briand, J. P.; Tribbick, G.; Van Regenmortel, M. H., Epitope analysis using kinetic measurements of antibody binding to synthetic peptides presenting single amino acid substitutions. *Journal Of Molecular Recognition* **1993**, 6, (2), 71-9.

Zeder-Lutz, G.; Altschuh, D.; Geysen, H. M.; Trifilieff, E.; Sommermeyer, G.; Van Regenmortel, M. H., Monoclonal antipeptide antibodies: affinity and kinetic rate constants measured for the peptide and the cognate protein using a biosensor technology. *Mol. Immunol.* **1993**, 30, (2), 145-55.

Alexander, H.; Alexander, S.; Getzoff, E. D.; Tainer, J. A.; Geysen, H. M.; Lerner, R. A., Altering the antigenicity of proteins. *Proc. Nat. Acad. Sci. USA* **1992**, 89, (8), 3352-6.

Bhardwaj, V.; Kumar, V.; Geysen, H.; Sercarz, E., Subjugation of dominant immunogenic determinants within a chimeric peptide. *Eur. J. Immunol.* **1992**, 22, (8), 2009-16.

Burrows, S. R.; Rodda, S. J.; Suhrbier, A.; Geysen, H. M.; Moss, D. J., The specificity of recognition of a cytotoxic T lymphocyte epitope. *Eur. J. Immunol.* **1992**, 22, (1), 191-5.

Carbone, F. R.; Sterry, S. J.; Butler, J.; Rodda, S.; Moore, M. W., T cell receptor alpha-chain pairing determines the specificity of residue 262 within the Kb-restricted, ovalbumin257-264 determinant. *Int. Immunol.* **1992**, 4, (8), 861-7.

Geysen, H. M. In *Generation of diverse chemically synthesized peptide libraries*, 2nd Japanese Symposium on Peptide Chemistry, 1992; Yanaihara, N., Ed. ESCOM: 1992; pp 3-6.

Hutchings, P. R.; Cooke, A.; Dawe, K.; Champion, B. R.; Geysen, M.; Valerio, R.; Roitt, I. M., A thyroxine-containing peptide can induce murine experimental autoimmune thyroiditis. *J. Exp. Med.* **1992**, 175, (3), 869-72.

Lisacek, F., Explanation for the non-specificity of small peptide-antibody interaction. *Mathl. Comput. Modelling* **1992**, 16, 161-178.

Maeji, N. J.; Tribbick, G.; Bray, A. M.; Geysen, H. M., Simultaneous multiple synthesis of peptide-carrier conjugates. *J. Immunol. Methods* **1992**, 146, (1), 83-90.

Rowley, M. J.; Maeda, T.; Mackay, I. R.; Loveland, B. E.; McMullen, G. L.; Tribbick, G.; Bernard, C. C., Differing epitope selection of experimentally-induced and natural antibodies to a disease-specific autoantigen, the E2 subunit of pyruvate dehydrogenase complex (PDC-E2). *Int. Immunol.* **1992**, 4, (11), 1245-53.

Seldon, M. A.; Karabatsas, M.; Bray, A. M.; Maeji, N. J.; Geysen, H. M., High-volume in vivo pharmacological screening of angiotensin II-related peptides synthesized by the Multipin method. *Immunomethods* **1992**, 1, (1), 25-31.

Triantafyllou, B.; Tribbick, G.; Maeji, N.; Geysen, H., Use of the Multipin peptide synthesis technique for the generation of antipeptide sera. *Cell Biophys.* **1992**, 21, (1-3), 33-52.

Weiner, A. J.; Geysen, H. M.; Christopherson, C.; Hall, J. E.; Mason, T. J.; Saracco, G.; Bonino, F.; Crawford, K.; Marion, C. D.; Crawford, K. A.; et al., Evidence for immune selection of hepatitis C virus (HCV) putative envelope glycoprotein variants: potential role in chronic HCV infections. *Proc. Nat. Acad. Sci. USA* **1992**, 89, (8), 3468-72.

Bray, A. M.; Kelly, D. P.; Lim, T. K., DNA-binding compounds. IV* Synthesis and solution conformation of a novel macrocycle formed by coupling of the side chains of adjacent L-lysine residues. *Aust. J. Chem.* **1991**, 44, 1649-1658.

Bray, A. M.; Maeji, N. J.; Jhingran, A. G.; Valerio, R. M., Gas-phase cleavage of peptides from a solid support with ammonia vapor. Application in simultaneous multiple peptide synthesis. *Tetrahedron Lett.* **1991**, 32, (43), 6163-6.

Bray, A. M.; Maeji, N. J.; Valerio, R. M.; Campbell, R. A.; Geysen, H. M., Direct cleavage of peptides from a solid support into aqueous buffer. Application in simultaneous multiple peptide synthesis. *J. Org. Chem.* **1991**, 56, (23), 6659-66.

Brown, L.; Jackson, D.; Tribbick, G.; White, D.; Geysen, H., Extension of a minimal T cell determinant allows relaxation of the requirement for particular residues within the determinant. *Int. Immunol.* **1991**, 3, (12), 1307-13.

Burkot, T. R.; Da, Z. W.; Geysen, H. M.; Wirtz, R. A.; Saul, A., Fine specificities of monoclonal antibodies against the Plasmodium falciparum circumsporozoite protein: recognition of both repetitive and non-repetitive regions. *Parasite Immunol.* **1991**, 13, (2), 161-70.

Champion, B. R.; Page, K. R.; Parish, N.; Rayner, D. C.; Dawe, K.; Biswas-Hughes, G.; Cooke, A.; Geysen, M.; Roitt, I. M., Identification of a thyroxine-containing self-epitope of thyroglobulin which triggers thyroid autoreactive T cells. *J. Exp. Med.* **1991**, 174, (2), 363-70.

Edmundson, A. B.; Harris, D. L.; Tribbick, G.; Geysen, H. M., Binding of peptides to proteins: an exercise in molecular design. *Ciba Found. Symp.* **1991**, 158, 213-25; discussion 225-30.

Gammon, G.; Geysen, H. M.; Apple, R. J.; Pickett, E.; Palmer, M.; Ametani, A.; Sercarz, E. E., T cell determinant structure: cores and determinant envelopes in three mouse major histocompatibility complex haplotypes. *J. Exp. Med.* **1991**, 173, (3), 609-17.

Geysen, H. M. Solid surface for peptide synthesis. 9104266, 1991.

Hamachi, T.; Tribbick, G.; Yu, D. T. Y., Binding of bacterial lipopolysaccharides to polypeptides in solid phase assays. *Immunol. Inf. Dis.* **1991**, 1, 105-110.

Hay, F. C.; Soltys, A. J.; Tribbick, G.; Geysen, H. M., Framework peptides from kappa IIb rheumatoid factor light chains with binding activity for aggregated IgG. *Eur. J. Immunol.* **1991**, 21, (8), 1837-41.

Maeji, N. J.; Bray, A. M.; Valerio, R. M.; Seldon, M. A.; Wang, J. X.; Geysen, H. M., Systematic screening for bioactive peptides. *Pept. Res.* **1991**, 4, (3), 142-6.

Mutch, D. A.; Rodda, S. J.; Benstead, M.; Valerio, R. M.; Geysen, H. M., Effects of end groups on the stimulatory capacity of minimal length T cell determinant peptides. *Pept. Res.* **1991**, 4, (3), 132-7.

Rodda, S. J.; Geysen, H. M.; Mason, T. J., Epitope screening and analysis using a multiple peptide synthesis system and its potential use in hormone analysis. In *Neuroendocrine Research Methods*, Greenstein, B., Ed. Harwood: Chur, 1991; pp 987-1004.

Sattayasai, N.; McMullen, G. L.; Marzuki, S.; Tribbick, G.; Geysen, H. M.; Tymms, M. J.; Linnane, A. W., Universal antibodies to human interferon-alpha subtypes--the production of anti-peptide antibodies to conserved regions of interferon-alpha. *J. Interferon Res.* **1991**, 11, (1), 41-8.

Suhrbier, A.; Rodda, S. J.; Ho, P. C.; Csurhes, P.; Dunckley, H.; Saul, A.; Geysen, H. M.; Rzepczyk, C. M.; Mutch, D. A.; Benstead, M.; Valerio, R. M., Role of single amino acids in the recognition of a T cell epitope. Effects of end groups on the stimulatory capacity of minimal length T cell determinant peptides. *J. Immunol.* **1991**, 147, (8), 2507-13.

Tainer, J. A.; Deal, C. D.; Geysen, H. M.; Roberts, V. A.; Getzoff, E. D., Defining antibody-antigen recognition: towards engineered antibodies and epitopes. *Int. Rev. Immunol.* **1991**, 7, (2), 165-88.

Tribbick, G.; Triantafyllou, B.; Lauricella, R.; Rodda, S. J.; Mason, T. J.; Geysen, H. M., Systematic fractionation of serum antibodies using multiple antigen homologous peptides as affinity ligands. *J. Immunol. Methods* **1991**, 139, (2), 155-66.

Valerio, R. M.; Benstead, M.; Bray, A. M.; Campbell, R. A.; Maeji, N. J., Synthesis of peptide analogs using the Multipin peptide synthesis method. *Anal. Biochem.* **1991**, 197, (1), 168-77.

Yu, D. T.; Hamachi, T.; Hamachi, M.; Tribbick, G., Analysis of the molecular mimicry between HLA-B27 and a bacterial OmpA protein using synthetic peptides. *Clinical & Experimental Immunology* **1991**, 85, (3), 510-4.

Zhao, Y. P.; Shi, B. J.; Deng, H. K.; Yu, D. T.; Hamachi, M.; Hamachi, T.; Zhao, D. F.; Tang, S. R.; Tsang, J. C.; Park, M. S.; Terasaki, P.; Tribbick, G., Epitope analysis of an HLA-B27-derived synthetic peptide: a possible approach to analyzing HLA class I antigens. *Clin. Exp. Rheumatol.* **1991**, 9, (3), 235-9.

Bray, A. M.; Kelly, D. P.; Mack, P. O.-L.; Martin, R. F.; Wakelin, L. P. G., DNA-binding compounds. III* Synthesis of a peptide-linked binuclear platinum(II)-terpyridine complex. *Aust. J. Chem.* **1990**, 43, 629-634.

Bray, A. M.; Maeji, N. J.; Geysen, H. M., The simultaneous multiple production of solution phase peptides; assessment of the Geysen method of simultaneous peptide synthesis. *Tetrahedron Lett.* **1990**, 31, (40), 5811-14.

Edmundson, A. B.; N.H., J.; Ely, K. R.; D.L., H.; Voss, E. W.; Tribbick, G.; Geysen, H. M., Complexes of peptides, nucleotides, and fluorescein with immunoglobulin fragments: effects of solvent on crystal structures and ligand binding. In *Use of X-Ray Crystallography in the Design of Antiviral Agents*, Academic Press: San Diego, 1990; pp 95-114.

Ellem, K. A.; Wilson, M. S.; Fardoulis, C.; Dunstan, A.; Kemp, B. E.; Geysen, H. M., A monoclonal antibody raised against an undecapeptide sequence from human transforming growth factor alpha recognizes a hexapeptide epitope in mitotic centrosomes. *Lab. Invest.* **1990**, 63, (5), 690-7.

Ewing, C.; Ebringer, R.; Tribbick, G.; Geysen, H. M., Antibody activity in ankylosing spondylitis sera to two sites on HLA B27.1 at the MHC groove region (within sequence 65-85), and to a Klebsiella pneumoniae nitrogenase reductase peptide (within sequence 181-199). *J. Exp. Med.* **1990**, 171, (5), 1635-47.

Geysen, H. M. Peptide synthesis on solid support with cleavable linker, and use of the immobilized peptides in separation of specific binding entities. 9009395, 1990.

Geysen, H. M., Molecular technology: peptide epitope mapping and the pin technology. *Southeast Asian J. Trop. Med. Publ. Health* **1990**, 21, (4), 523-33.

Maeji, N. J.; Bray, A. M.; Geysen, H. M., Multi-pin peptide synthesis strategy for T cell determinant analysis. *J. Immunol. Methods* **1990**, 134, (1), 23-33.

Radford, A. J.; Wood, P. R.; Billman-Jacobe, H.; Geysen, H. M.; Mason, T. J.; Tribbick, G., Epitope mapping of the Mycobacterium bovis secretory protein MPB70 using overlapping peptide analysis. *J. Gen. Microbiol.* **1990**, 136 (Pt 2), 265-72.

Ramasamy, R.; Geysen, H. M., Novel cross-reactive epitopes on asexual blood stage antigens of Plasmodium falciparum. *Parasite Immunol.* **1990**, 12, (5), 457-71.

Saul, A. J.; Geysen, H. M., Identification of epitopes through peptide technology. In *New Generation Vaccines*, Woodrow, G. C.; Levine, M. M., Eds. Dekker: New York, 1990; pp 117-126.

Selvey, L. A.; Tindle, R. W.; Geysen, H. M.; Haller, C. J.; Smith, J. A.; Frazer, I. H., Identification of B-epitopes in the human papillomavirus 18 E7 open reading frame protein. *J. Immunol.* **1990**, 145, (9), 3105-10.

Tindle, R. W.; Smith, J. A.; Geysen, H. M.; Selvey, L. A.; Frazer, I. H., Identification of B epitopes in human papillomavirus type 16 E7 open reading frame protein. *J. Gen. Virol.* **1990**, 71 (Pt 6), 1347-54.

Aaskov, J. G.; Geysen, H. M.; Mason, T. J., Serologically defined linear epitopes in the envelope protein of dengue 2 (Jamaica strain 1409). *Archives in Virology* **1989**, 105, (3-4), 209-21.

Geysen, H. M.; Mason, T. J.; Rodda, S. J. In *Cognitive features of continuous antigenic determinants*, Synthetic Peptides: Approaches to Biological Problems, UCLA Symposia on Molecular and Cellular Biology, New York, 1989; Alan R. Liss: New York, 1989; pp 19-30.

Hill, R. J.; Watt, F.; Wilson, C. M.; Fifis, T.; Underwood, P. A.; Tribbick, G.; Geysen, H. M.; Thomas, J. O., Bands, interbands and puffs in native Drosophila polytene chromosomes are recognized by a monoclonal antibody to an epitope in the carboxy-terminal tail of histone H1. *Chromosoma* **1989**, 98, (6), 411-21.

Kara, U.; Pye, D.; Lord, R.; Pam, C.; Gould, H.; Geysen, M.; Jones, G.; Stenzel, D.; Kidson, C.; Saul, A., Immune response to a synthetic peptide corresponding to an epitope of a parasitophorous vacuole membrane antigen from Plasmodium falciparum. *J. Immunol.* **1989**, 143, (4), 1334-9.

Lew, A. M.; Langford, C. J.; Anders, R. F.; Kemp, D. J.; Saul, A.; Fardoulis, C.; Geysen, M.; Sheppard, M., A protective monoclonal antibody recognizes a linear epitope in the precursor to the major merozoite antigens of Plasmodium chabaudi adami. *Proc. Nat. Acad. Sci. USA* **1989**, 86, (10), 3768-72.

Saul, A.; Lord, R.; Jones, G.; Geysen, H. M.; Gale, J.; Mollard, R., Cross-reactivity of antibody against an epitope of the Plasmodium falciparum second merozoite surface antigen. *Parasite Immunol.* **1989**, 11, (6), 593-601.

Shukla, D. D.; Tribbick, G.; Mason, T. J.; Hewish, D. R.; Geysen, H. M.; Ward, C. W., Localization of virus-specific and group-specific epitopes of plant potyviruses by systematic immunochemical analysis of overlapping peptide fragments. *Proc. Nat. Acad. Sci. USA* **1989**, 86, (21), 8192-6.

Tribbick, G.; Edmundson, A. B.; Mason, T. J.; Geysen, H. M., Similar binding properties of peptide ligands for a human immunoglobulin and its light chain dimer. *Mol. Immunol.* **1989**, 26, (7), 625-35.

Epping, R.; Goldstone, S.; Ingram, L.; Upcroft, J.; Ramasamy, R.; Cooper, J.; Bushell, G.; Geysen, H., An epitope recognised by inhibitory monoclonal antibodies that react with a 51 kilodalton merozoite surface antigen in Plasmodium falciparum. *Molecular & Biochemical Parasitology* **1988**, 28, (1), 1-10.

Getzoff, E. D.; Tainer, J. A.; Lerner, R. A.; Geysen, H. M., The chemistry and mechanism of antibody binding to protein antigens. *Adv. Immunol.* **1988**, 43, 1-98.

Geysen, H. M.; Mason, T. J.; Rodda, S. J., Cognitive features of continuous antigenic determinants. *Journal Of Molecular Recognition* **1988**, 1, (1), 32-41.

Geysen, H. M.; Mason, T. J.; Tribbick, G.; Edmundson, A. B., Mimotopes - mimics of antibody epitopes. *International Congress Series* **1988**, 823, (Mol. Mimicry Health Dis.), 315-24.

Geysen, H. M.; Rodda, S. J.; Mason, T. J. In *A synthetic strategy for epitope mapping*, 10th American Peptide Symposium, 1988; Marshall, G., Ed. ESCOM, Leiden: 1988; pp 519-523.

Geysen, H. M.; Rodda, S. J.; Mason, T. J.; Tainer, J. A.; Alexander, H.; Getzoff, E. D.; Lerner, R. A., Antigenicity of myohemerythrin. *Science* **1988**, 238, 1584-1586.

Schoofs, P.; Geysen, H.; Jackson, D.; Brown, L.; Tang, X.; White, D., Epitopes of an influenza viral peptide recognized by antibody at single amino acid resolution. *J. Immunol.* **1988**, 140, (2), 611-6.

Stewart, G. A.; Thomas, W. R.; Chau, H. Y.; Turner, K. J.; Geysen, H. M. In *An allergen and antigenic mapping analysis of a major mite allergen, Der P1*, 1st DPC Symposium Allergy and Molecular Biology, 1988; Pergamon Press: 1988.

Bushell, G.; Upcroft, J.; Schofield, L.; Saul, A.; Cooper, J.; Epping, R.; Geysen, H. M.; Rodda, S. J.; Kidson, C. In *Epitope-level delineation of important functions in invasion of erythrocytes by Plasmodium falciparum*, Molecular Strategies of Parasitic Invasion, UCLA Symposia on Molecular and Cellular Biology, New York, 1987; Alan R. Liss: New York, 1987.

Fieser, T. M.; Tainer, J. A.; Geysen, H. M.; Houghten, R. A.; Lerner, R. A., Influence of protein flexibility and peptide conformation on reactivity of monoclonal anti-peptide antibodies with a protein alpha-helix. *Proc. Nat. Acad. Sci. USA* **1987**, 84, (23), 8568-72.

Getzoff, E. D.; Geysen, H. M.; Rodda, S. J.; Alexander, H.; Tainer, J. A.; Lerner, R. A., Mechanisms of antibody binding to a protein. *Science* **1987**, 235, (4793), 1191-6.

Geysen, H. M.; Rodda, S. J.; Mason, T. J.; Tribbick, G.; Schoofs, P. G., Strategies for epitope analysis using peptide synthesis. *J. Immunol. Methods* **1987**, 102, (2), 259-74.

Geysen, H. M.; Tainer, J. A.; Rodda, S. J.; Mason, T. J.; Alexander, H.; Getzoff, E. D.; Lerner, R. A., Chemistry of antibody binding to a protein. *Science* **1987**, 235, (4793), 1184-90.

Geysen, H. M.; Rodda, S. J.; Mason, T. J., The delineation of peptides able to mimic assembled epitopes. *Ciba Found. Symp.* **1986**, 119, 130-49.

Geysen, H. M.; Rodda, S. J.; Mason, T. J., A priori delineation of a peptide which mimics a discontinuous antigenic determinant. *Mol. Immunol.* **1986**, 23, (7), 709-15.

Rodda, S. J.; Geysen, H. M.; Mason, T. J.; Schoofs, P. G., The antibody response to myoglobin--I. Systematic synthesis of myoglobin peptides reveals location and substructure of species-dependent continuous antigenic determinants. *Mol. Immunol.* **1986**, 23, (6), 603-10.

Rodda, S. J.; Geysen, H. M.; Mason, T. J.; Tribbick, G., Probing the antigen combining sites of antibodies using synthetic peptides. *Protides Biol. Fluids* **1986**, 34, 91-93.

Geysen, H.; Barteling, S.; Meloen, R., Small peptides induce antibodies with a sequence and structural requirement for binding antigen comparable to antibodies raised against the native protein. *Proc. Nat. Acad. Sci. USA* **1985**, 82, (1), 178-82.

Geysen, H. M., Antigen-antibody interactions at the molecular level: adventures in peptide synthesis. *Immunol. Today* **1985**, 6, 364-369.

Geysen, H. M. In *Modern approaches to veterinary vaccines: relevance to their use in tropical and developing countries*, International Seminar on Virus Diseases of Veterinary Importance in South-East Asia and the Western Pacific, Geelong, Victoria (Australia), 1985; Della-Porta, A. J., Ed. Geelong, Victoria (Australia), 1985.

Geysen, H.; Meloen, R.; Barteling, S., Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid. *Proc. Nat. Acad. Sci. USA* **1984**, 81, (13), 3998-4002.

Rodda, S. J.; Galichio, H. A.; Hampson, A. W., The single radial immunodiffusion assay highlights small antigenic differences among influenza virus hemagglutinins. *J. Clin. Microbiol.* **1981**, 14, (5), 479-82.

2. Peptide Publications from Independent Laboratories

Takaki, T.; Marron, M. P.; Mathews, C. E.; Guttmann, S. T.; Bottino, R.; Trucco, M.; DiLorenzo, T. P.; Serreze, D. V., HLA-A*0201-restricted T cells from humanized NOD mice recognize autoantigens of potential clinical relevance to type 1 diabetes. *J. Immunol.* **2006**, 176, (5), 3257-65.

Contessi, S.; Haraux, F.; Mavelli, I.; Lippe, G., Identification of a conserved calmodulin-binding motif in the sequence of F0F1 ATPsynthase inhibitor protein. *J. Bioenerg. Biomembr.* **2005**, 37, (5), 317-26.

Spencer, J. S.; Dockrell, H. M.; Kim, H. J.; Marques, M. A.; Williams, D. L.; Martins, M. V.; Martins, M. L.; Lima, M. C.; Sarno, E. N.; Pereira, G. M.; Matos, H.; Fonseca, L. S.; Sampaio, E. P.; Ottenhoff, T. H.; Geluk, A.; Cho, S. N.; Stoker, N. G.; Cole, S. T.; Brennan, P. J.; Pessolani, M. C., Identification of specific proteins and peptides in mycobacterium leprae suitable for the selective diagnosis of leprosy. *J. Immunol.* **2005**, 175, (12), 7930-8.

Bogdanos, D.-P.; Baum, H.; Grasso, A.; Okamoto, M.; Butler, P.; Ma, Y.; Rigopoulou, E.; Montalvo, P.; Davies, E. T.; Burroughs, A. K.; Vergani, D., Microbial mimics are major targets of crossreactivity with human pyruvate dehydrogenase in primary biliary cirrhosis. *J. Hepatol.* **2004**, 40, (1), 31-39.

Bogdanos, D.-P.; Lenzi, M.; Okamoto, M.; Rigopoulou, E. I.; Muratori, P.; Ma, Y.; Muratori, L.; Tsantoulas, D.; Mieli- Vergani, G.; Bianchi et, a., Multiple viral/self immunological cross-reactivity in liver kidney microsomal antibody positive hepatitis C virus infected patients is associated with the possession of HLA b51. *Int. J. Immunopath. Pharmacol.* **2004**, 17, (1), 83-92.

Bromfield, K. M.; Cianci, J.; Duggan, P. J., The Preparation of Fluorescence-Quenched Probes for Use in the Characterization of Human Factor Xa Substrate Binding Domains. *Molecules* **2004**, 9, 427-439.

Feliu, L.; Martinez, J.; Amblard, M., Synthesis of an 8-benzyl-4-(p-substituted-benzyl)-1,4,8-triazaspiro[4.5]decan-2-one library on SynPhase TMLantens. *QSAR Comb. Sci.* **2004**, 23, (1), 56-60.

Hartemann-Heurtier, A.; Mars, L. T.; Bercovici, N.; Desbois, S.; Cambouris, C.; Piaggio, E.; Zappulla, J.; Saoudi, A.; Liblau, R. S., An altered self-peptide with superagonist activity blocks a CD8-mediated mouse model of type 1 diabetes. *J. Immunol.* **2004**, 172, (2), 915-22.

Spencer, J. S.; Kim, H. J.; Marques, A. M.; Gonzalez-Juarerro, M.; Lima, M. C.; Vissa, V. D.; Truman, R. W.; Gennaro, M. L.; Cho, S. N.; Cole, S. T.; Brennan, P. J., Comparative analysis of B- and T-cell epitopes of Mycobacterium leprae and Mycobacterium tuberculosis culture filtrate protein 10. *Infect. Immun.* **2004**, 72, (6), 3161-70.

- Stickler, M.; Rochanayon, N.; Razo, O. J.; Mucha, J.; Gebel, W.; Faravashi, N.; Chin, R.; Holmes, S.; Harding, F. A., An in vitro human cell-based assay to rank the relative immunogenicity of proteins. *Toxicol. Sci.* **2004**, 77, (2), 280-9.
- Bedos, P.; Feliu, L.; Martinez, J.; Amblard, M., Optimization of spiroimidazolidinone derivatives synthesis on solid phase using SynPhase(TM) Lanterns. *Tetrahedron Lett.* **2003**, 44, (26), 4937-4939.
- Chang, L.; Kjer-Nielsen, L.; Flynn, S.; Brooks, A. G.; Mannerling, S. I.; Honeyman, M. C.; Harrison, L. C.; McCluskey, J.; Purcell, A. W., Novel strategy for identification of candidate cytotoxic T-cell epitopes from human preproinsulin. *Tissue Antigens* **2003**, 62, (5), 408-17.
- Doi, T.; Nagamiya, H.; Takahashi, T., A library synthesis of cyclic depsipeptides aurilide and its derivatives on solid-support. *Pept. Sci.* **2003**, 39th, 45-46.
- Feliu, L.; Subra, G.; Martinez, J.; Amblard, M., Spiroimidazolidinone Library Derivatives on SynPhase Lanterns. *J. Comb. Chem.* **2003**, 5, (4), 356-361.
- Fournel, S.; Muller, S., Synthetic peptides in the diagnosis of systemic autoimmune diseases. *Curr. Protein Pept. Sci.* **2003**, 4, (4), 261-74.
- Greenfield, S. J.; Agarkov, A.; Gilbertson, S. R., High asymmetric induction with beta-turn-derived palladium phosphine complexes. *Org. Lett.* **2003**, 5, (17), 3069-72.
- Kerkar, N.; Choudhuri, K.; Ma, Y.; Mahmoud, A.; Bogdanos, D. P.; Muratori, L.; Bianchi, F.; Williams, R.; Mieli-Vergani, G.; Vergani, D., Cytochrome P4502D6(193-212): a new immunodominant epitope and target of virus/self cross-reactivity in liver kidney microsomal autoantibody type 1-positive liver disease. *J. Immunol.* **2003**, 170, (3), 1481-9.
- Kuzushima, K.; Hayashi, N.; Kudoh, A.; Akatsuka, Y.; Tsujimura, K.; Morishima, Y.; Tsurumi, T., Tetramer-assisted identification and characterization of epitopes recognized by HLA A*2402-restricted Epstein-Barr virus-specific CD8+ T cells. *Blood* **2003**, 101, (4), 1460-1468.
- Mannerling, S. I.; Purcell, A. W.; Honeyman, M. C.; McCluskey, J.; Harrison, L. C., Human T-cells recognise N-terminally Fmoc-modified peptide. *Vaccine* **2003**, 21, (25-26), 3638-3646.
- Sidney, J.; Southwood, S.; Pasquetto, V.; Sette, A., Simultaneous prediction of binding capacity for multiple molecules of the HLA B44 supertype. *J. Immunol.* **2003**, 171, (11), 5964-74.
- Stickler, M.; Chin, R.; Faravashi, N.; Gebel, W.; Razo, O. J.; Rochanayon, N.; Power, S.; Valdes, A. M.; Holmes, S.; Harding, F. A., Human population-based identification of CD4(+) T-cell peptide epitope determinants. *J. Immunol. Methods* **2003**, 281, (1-2), 95-108.
- Stickler, M.; Mucha, J.; Estell, D.; Power, S.; Harding, F., A human dendritic cell-based method to identify CD4+ T-cell epitopes in potential protein allergens. *Environ. Health Perspect.* **2003**, 111, (2), 251-4.
- Subra, G.; Soulere, L.; Hoffmann, P.; Enjalbal, C.; Aubagnac, J.-L.; Martinez, J., Parallel and mixture combined approach: Rapid cheap synthesis and characterization of a 4096-tripeptides library. *QSAR Comb. Sci.* **2003**, 22, (6), 646-651.
- Uemura, Y.; Senju, S.; Maenaka, K.; Iwai, L. K.; Fujii, S.; Tabata, H.; Tsukamoto, H.; Hirata, S.; Chen, Y. Z.; Nishimura, Y., Systematic analysis of the combinatorial nature of epitopes recognized by TCR leads to identification of mimicry epitopes for glutamic acid decarboxylase 65-specific TCRs. *J. Immunol.* **2003**, 170, (2), 947-60.

Venter, M.; Rock, M.; Puren, A. J.; Tiemessen, C. T.; Crowe, J. E., Jr., Respiratory Syncytial Virus Nucleoprotein-Specific Cytotoxic T-Cell Epitopes in a South African Population of Diverse HLA Types Are Conserved in Circulating Field Strains. *J. Virol.* **2003**, 77, (13), 7319-7329.

Yadav, R.; Yoshimura, Y.; Boesteanu, A.; Christianson, G. J.; Ajayi, W. U.; Shashidharanmurthy, R.; Stanic, A. K.; Roopenian, D. C.; Joyce, S., The H4b minor histocompatibility antigen is caused by a combination of genetically determined and posttranslational modifications. *J. Immunol.* **2003**, 170, (10), 5133-42.

Dahan, I.; Issaeva, I.; Gorzalczany, Y.; Sigal, N.; Hirshberg, M.; Pick, E., Mapping of functional domains in the p22(phox) subunit of flavocytochrome b(559) participating in the assembly of the NADPH oxidase complex by "peptide walking". *J. Biol. Chem.* **2002**, 277, (10), 8421-32.

Hannam, S.; Bogdanos, D.-P.; Davies, E. T.; Hussain, M. J.; Portmann, B. C.; Mieli-Vergani, G.; Vergani, D., Neonatal liver disease associated with placental transfer of anti-mitochondrial antibodies. *Autoimmunity* **2002**, 35, (8), 545-550.

Mucha, J. M.; Stickler, M. M.; Poulose, A. J.; Ganshaw, G.; Saldajeno, M.; Collier, K.; Huang, M. T.; Harding, F. A., Enhanced immunogenicity of a functional enzyme by T cell epitope modification. *BMC Immunol* **2002**, 3, (1), 2.

Spencer, J. S.; Marques, M. A.; Lima, M. C.; Junqueira-Kipnis, A. P.; Gregory, B. C.; Truman, R. W.; Brennan, P. J., Antigenic specificity of the *Mycobacterium leprae* homologue of ESAT-6. *Infect. Immun.* **2002**, 70, (2), 1010-3.

Basso, A.; Ernst, B., Solid-phase synthesis of hydroxyproline-based cyclic hexapeptides. *Tetrahedron Lett.* **2001**, 42, (38), 6687-6690.

Higa, K.; Gao, C.; Motokawa, W.; Abe, K., The roles of the N-terminal portions of various tachykinins in promoting salivation. *Oral Dis.* **2001**, 7, (4), 238-45.

Kuzushima, K.; Hayashi, N.; Kimura, H.; Tsurumi, T., Efficient identification of HLA-A*2402-restricted cytomegalovirus-specific CD8+ T-cell epitopes by a computer algorithm and an enzyme-linked immunospot assay. *Blood* **2001**, 98, (6), 1872-1881.

Maloof, P. B.; Joshi, D. D.; Qian, J.; Gascon, P.; Singh, D.; Rameshwar, P., Induction of preprotachykinin-I and neurokinin-1 by adrenocorticotropin and prolactin. Implication for neuroendocrine-immune-hematopoietic axis. *J. Neuroimmunol.* **2001**, 112, (1-2), 188-96.

Rameshwar, P.; Joshi, D. D.; Yadav, P.; Qian, J.; Gascon, P.; Chang, V. T.; Anjaria, D.; Harrison, J. S.; Song, X., Mimicry between neurokinin-1 and fibronectin may explain the transport and stability of increased substance P immunoreactivity in patients with bone marrow fibrosis. *Blood* **2001**, 97, (10), 3025-31.

Regner, M.; Lobigs, M.; Blanden, R. V.; Milburn, P.; Mullbacher, A., Antiviral Cytotoxic T Cells Cross-Reactivity Recognize Disparate Peptide Determinants from Related Viruses but Ignore More Similar Self- and Foreign Determinants. *J. Immunol.* **2001**, 166, (6), 3820-3828.

Vanniasinkam, T.; Barton, M. D.; Heuzenroeder, M. W., B-Cell epitope mapping of the VapA protein of *Rhodococcus equi*: implications for early detection of *R. equi* disease in foals. *J. Clin. Microbiol.* **2001**, 39, (4), 1633-7.

Burritt, J. B.; Fritel, G. N.; Dahan, I.; Pick, E.; Roos, D.; Jesaitis, A. J., Epitope identification for human neutrophil flavocytochrome b monoclonals 48 and 449. *Eur. J. Haematol.* **2000**, 65, (6), 407-13.

Dahan, I.; Issaeva, I.; Morozov, I.; Joseph, G.; Sigal, N.; Toporik, A.; Gorzalczany, Y.; Lotan, O.; Pick, E., Assembly of the superoxide generating NADPH oxidase-Taking peptides for a walk. *Adv. Exp. Med. Biol.* **2000**, 479, 298-299.

Fischer, P. M.; Zhelev, N. Z.; Wang, S.; Melville, J. E.; Fahraeus, R.; Lane, D. P., Structure-activity relationship of truncated and substituted analogues of the intracellular delivery vector Penetratin. *J. Pept. Res.* **2000**, 55, (2), 163-72.

Gao, C.; Abe, K., Structure-activity relationships of sialogenic heptapeptides analogous to physalaemin. *Oral Dis.* **2000**, 6, (3), 180-6.

Liu, G.; Zhang, S. D.; Xia, S. Q.; Ding, Z. K., Solid-phase synthesis of muramyl dipeptide (MDP) derivatives using a Multipin method. *Bioorg. Med. Chem. Lett.* **2000**, 10, (12), 1361-3.

Mazerbourg, S.; Zapf, J.; Bar, R. S.; Brigstock, D. R.; Monget, P., Insulin-Like Growth Factor (IGF)-Binding Protein-4 Proteolytic Degradation in Bovine, Equine, and Porcine Preovulatory Follicles: Regulation by IGFs and Heparin-Binding Domain-Containing Peptides. *Biol. Reprod.* **2000**, 63, (2), 390-400.

Pique, C.; Ureta-Vidal, A.; Gessain, A.; Chancerel, B.; Gout, O.; Tamouza, R.; Agis, F.; Dokhelar, M.-C., Evidence for the Chronic In Vivo Production of Human T Cell Leukemia Virus Type I Rof and Tof Proteins from Cytotoxic T Lymphocytes Directed against Viral Peptides. *J. Exp. Med.* **2000**, 191, (3), 567-572.

Retiere, C.; Prod'homme, V.; Imbert-Marcille, B. M.; Bonneville, M.; Vie, H.; Hallet, M. M., Generation of cytomegalovirus-specific human T-lymphocyte clones by using autologous B-lymphoblastoid cells with stable expression of pp65 or IE1 proteins: a tool to study the fine specificity of the antiviral response. *J. Virol.* **2000**, 74, (9), 3948-52.

Singh, D.; Joshi, D. D.; Hameed, M.; Qian, J.; Gascon, P.; Maloof, P. B.; Mosenthal, A.; Rameshwar, P., Increased expression of preprotachykinin-I and neurokinin receptors in human breast cancer cells: implications for bone marrow metastasis. *Proc. Nat. Acad. Sci. USA* **2000**, 97, (1), 388-93.

Stratmann, T.; Apostolopoulos, V.; Mallet-Designe, V.; Corper, A. L.; Scott, C. A.; Wilson, I. A.; Kang, A. S.; Teyton, L., The I-Ag7 MHC Class II Molecule Linked to Murine Diabetes Is a Promiscuous Peptide Binder. *J. Immunol.* **2000**, 165, (6), 3214-3225.

Subra, G.; Amblard, M.; Durand, P.; Komesli, S.; Renaut, P.; Martinez, J. In *Solid supported parallel synthesis of dimer libraries*, Peptides 2000, Proceedings of the 26th European Peptide Symposium, Montpellier, France, Sept. 10-15, 2000; Martinez, J.; Fehrentz, J.-A., Eds. Montpellier, France, 2000; pp 973-974.

Anderson, B.; Park, B. J.; Verdaguer, J.; Amrani, A.; Santamaria, P., Prevalent CD8(+) T cell response against one peptide/MHC complex in autoimmune diabetes. *Proc. Nat. Acad. Sci. USA* **1999**, 96, (16), 9311-6.

Aubagnac, J. L.; Enjalbal, C.; Drouot, C.; Combarieu, R.; Martinez, J., Imaging time-of-flight secondary ion mass spectrometry of solid-phase peptide syntheses. *J. Mass Spectrom.* **1999**, 34, (7), 749-54.

Dragovich, P. S.; Zhou, R.; Skalitzky, D. J.; Fuhrman, S. A.; Patick, A. K.; Ford, C. E.; Meador, J. W., 3rd; Worland, S. T., Solid-phase synthesis of irreversible human rhinovirus 3C protease inhibitors. Part 1: Optimization of tripeptides incorporating N-terminal amides. *Bioorg. Med. Chem.* **1999**, 7, (4), 589-98.

Gaudin, C.; Kremer, F.; Angevin, E.; Scott, V.; Triebel, F., A hsp70-2 Mutation Recognized by CTL on a Human Renal Cell Carcinoma. *J. Immunol.* **1999**, 162, (3), 1730-1738.

- Gilbertson, S. R.; Wang, X., The parallel synthesis of peptide based phosphine ligands. *Tetrahedron Lett.* **1999**, 55, 11609-11618.
- Jaskiewicz, E.; Blanchard, D.; Rasamoelisolo, M.; Loirat, M. J.; Moulds, J. J.; Lisowska, E., Fine specificities of murine anti-Mg monoclonal antibodies. *Transfus. Med.* **1999**, 9, (2), 161-6.
- Liu, G.; Mu, S. F.; Yun, L. H.; Ding, Z. K.; Sun, M. J., Systematic study of the substituted active C-terminus of hirudin. *J. Pept. Res.* **1999**, 54, (6), 480-90.
- Loirat, M. J.; Czerwinski, M.; Duk, M.; Blanchard, D., The murine monoclonal antibody NaM26-4C6 identifies a common structure on band 3 and glycophorin C. *Transfus. Med.* **1999**, 9, (1), 69-79.
- Mazerbourg, S.; Zapf, J.; Bar, R. S.; Brigstock, D. R.; Lalou, C.; Binoux, M.; Monget, P., Insulin-Like Growth Factor Binding Protein-4 Proteolytic Degradation in Ovine Preovulatory Follicles: Studies of Underlying Mechanisms. *Endocrinology* **1999**, 140, (9), 4175-4184.
- Rubenstein, R.; Kacsak, R. J.; Papini, M.; Kacsak, R.; Carp, R. I.; LaFauci, G.; Meloen, R.; Langeveld, J., Immune surveillance and antigen conformation determines humoral immune response to the prion protein immunogen. *J. Neurovirol.* **1999**, 5, (4), 401-13.
- Vassiliadou, I.; Leondiadis, L.; Ferderigos, N.; Ithakissios, D. S.; Evangelatos, G. P.; Livaniou, E., Investigation of the epitopic structure of thymosin beta10 by epitope mapping experiments. *Peptides* **1999**, 20, (3), 411-4.
- Blockzjil, A.; Nilsson, K.; Nilsson, O., Epitope characterization of MUC1 antibodies. *Tumour Biol.* **1998**, 19 Suppl 1, 46-56.
- Gray, N. S.; Wodicka, L.; Thunnissen, A. M.; Norman, T. C.; Kwon, S.; Espinoza, F. H.; Morgan, D. O.; Barnes, G.; LeClerc, S.; Meijer, L.; Kim, S. H.; Lockhart, D. J.; Schultz, P. G., Exploiting chemical libraries, structure, and genomics in the search for kinase inhibitors. *Science* **1998**, 281, (5376), 533-8.
- Hertl, M.; Amagai, M.; Sundaram, H.; Stanley, J.; Ishii, K.; Katz, S., Recognition of desmoglein 3 by autoreactive T cells in pemphigus vulgaris patients and normals. *J. Invest. Dermatol.* **1998**, 110, (1), 62-66.
- Kolesanova, E. F.; Kozin, S. A.; Archakov, A. I., Antigenic mapping of cytochrome P450 101 (P450cam). *Bioorg. Khim.* **1998**, 24, (10), 747-55.
- Kumar, V.; Jayasuryan, N.; Reddi, H.; Sahal, D.; Panda, S. K., A monoclonal antibody against the X protein of hepatitis B virus: fine mapping of its epitope and application in a quantitative ELISA of the X protein in sera of hepatitis B patients. *Hybridoma* **1998**, 17, (2), 157-64.
- Morozov, I.; Lotan, O.; Joseph, G.; Gorzalczany, Y.; Pick, E., Mapping of functional domains in p47(phox) involved in the activation of NADPH oxidase by "peptide walking". *J. Biol. Chem.* **1998**, 273, (25), 15435-44.
- Petersen, A.; Schramm, G.; Schlaak, M.; Becker, W. M., Post-translational modifications influence IgE reactivity to the major allergen Phl p 1 of timothy grass pollen. *Clin. Exp. Allergy* **1998**, 28, (3), 315-21.
- Petrakou, E.; Murray, A.; Price, M. R., Epitope mapping of anti-MUC1 mucin protein core monoclonal antibodies. *Tumour Biol.* **1998**, 19 Suppl 1, 21-9.

Piccardo, P.; Langeveld, J. P.; Hill, A. F.; Dlouhy, S. R.; Young, K.; Giaccone, G.; Rossi, G.; Bugiani, M.; Bugiani, O.; Meloen, R. H.; Collinge, J.; Tagliavini, F.; Ghetti, B., An antibody raised against a conserved sequence of the prion protein recognizes pathological isoforms in human and animal prion diseases, including Creutzfeldt-Jakob disease and bovine spongiform encephalopathy. *Am. J. Pathol.* **1998**, 152, (6), 1415-20.

Turbyfill, K. R.; Mertz, J. A.; Mallett, C. P.; Oaks, E. V., Identification of epitope and surface-exposed domains of *Shigella flexneri* invasion plasmid antigen D (IpaD). *Infection & Immunity* **1998**, 66, (5), 1999-2006.

Uray, K.; Price, M. R.; Hudecz, F., Localisation of a protein core-specific epitope from gastrointestinal mucin (MUC2). The effect of epitope immobilisation on antibody recognition. *J. Pept. Sci.* **1998**, 4, (5), 319-26.

Vincenot, A.; Pittet, J. L.; Aiach, M.; Gaussem, P., A monoclonal antibody recognizing the activation domain of protein C in its calcium-free conformation. *FEBS Lett.* **1998**, 432, (1-2), 94-7.

Williams, S. C.; Badley, R. A.; Davis, P. J.; Puijk, W. C.; Meloen, R. H., Identification of epitopes within beta lactoglobulin recognised by polyclonal antibodies using phage display and PEPSCAN. *J. Immunol. Methods* **1998**, 213, (1), 1-17.

Yamada, T.; Itoh, Y., Epitope analysis of anti-serum protein antibodies and its application for amyloidosis research. *Rinsho Byori*. **1998**, 46, (5), 456-60.

Coeffier, E.; Excler, J. L.; Kieny, M. P.; Meignier, B.; Moste, C.; Tartaglia, J.; Pialoux, G.; Salmon-Ceron, D.; Leclerc, C., Restricted specificity of anti-V3 antibodies induced in humans by HIV candidate vaccines. *AIDS Res. Hum. Retroviruses* **1997**, 13, (17), 1471-85.

Doury, J. C.; Goasdoue, J. L.; Tolou, H.; Martelloni, M.; Bonnefoy, S.; Mercereau-Puijalon, O., Characterisation of the binding sites of monoclonal antibodies reacting with the *Plasmodium falciparum* rhoptry protein RhopH3. *Molecular & Biochemical Parasitology* **1997**, 85, (2), 149-59.

Luna, M. G.; Ferreira, L. C.; Almeida, D. F.; Rudin, A., Peptides 14VIDLL18 and 96FEAAAL101 defined as epitopes of antibodies raised against amino acid sequences of enterotoxigenic *Escherichia coli* colonization factor antigen I fused to *Salmonella* flagellin. *Microbiology* **1997**, 143 (Pt 10), 3201-7.

Palmer, D. S.; Dudani, A. K.; Drouin, J.; Ganz, P. R., Identification of novel factor VIII inhibitor epitopes using synthetic peptide arrays. *Vox Sang.* **1997**, 72, (3), 148-61.

Pujol, A.; Deleu, L.; Nuesch, J. P.; Cziepluch, C.; Jauniaux, J. C.; Rommelaere, J., Inhibition of parvovirus minute virus of mice replication by a peptide involved in the oligomerization of nonstructural protein NS1. *J. Virol.* **1997**, 71, (10), 7393-403.

Schreiber, M.; Wachsmuth, C.; Muller, H.; Odemuyiwa, S.; Schmitz, H.; Meyer, S.; Meyer, B.; Schneider-Mergener, J., The V3-directed immune response in natural human immunodeficiency virus type 1 infection is predominantly directed against a variable, discontinuous epitope presented by the gp120 V3 domain. *J. Virol.* **1997**, 71, (12), 9198-205.

Subramanian, N.; Adiga, P. R., Mapping the common antigenic determinants in avidin and streptavidin. *Biochem. Mol. Biol. Int.* **1997**, 43, (2), 375-82.

Tahtinen, M.; Ranki, A.; Valle, S. L.; Ovod, V.; Krohn, K., B-cell epitopes in HIV-1 Tat and Rev proteins colocalize with T-cell epitopes and with functional domains. *Biomed. Pharmacother.* **1997**, 51, (10), 480-7.

Wang, L.; Calderon, J.; Stanley, S. L., Jr., Short report: identification of B-cell epitopes in the serine-rich *Entamoeba histolytica* protein. *Am. J. Trop. Med. Hyg.* **1997**, 57, (6), 723-6.

Wasniowska, K.; Jaskiewicz, E.; Czerwinski, M.; Syper, D.; Lisowska, E., Mapping of peptidic epitopes of glycophorins A (GPA) and C (GPC) with peptides synthesized on plastic pins (Pepscan analysis). *Transfus. Clin. Biol.* **1997**, 4, (1), 73-5.

Wood, A. C.; Chadwick, J. S.; Brehm, R. S.; Todd, I.; Arbuthnott, J. P.; Tranter, H. S., Identification of antigenic sites on staphylococcal enterotoxin B and toxoid. *FEMS Immunol. Med. Microbiol.* **1997**, 17, (1), 1-10.

Zhong, G.; Berry, J. D.; Choukri, S., Mapping epitopes of neutralizing monoclonal antibodies using phage random peptide libraries. *J. Ind. Microbiol. Biotechnol.* **1997**, 19, (1), 71-6.

Burgess, K.; Godbout, C.; Li, W.; Payza, K., A small library of peptidomimetics to systematically vary and test the effects of X1 constraints. *Bioorg. Med. Chem. Lett.* **1996**, 6, 2761-2764.

Estepa, A.; Coll, J. M., Pepscan mapping and fusion-related properties of the major phosphatidylserine-binding domain of the glycoprotein of viral hemorrhagic septicemia virus, a salmonid rhabdovirus. *Virology* **1996**, 216, (1), 60-70.

Kochanowska, I. E.; Kuropatwa, M.; Rapak, A.; Szewczuk, A., Antigenicity of human and horse myoglobins. *Arch Immunol Ther Exp (Warsz)* **1996**, 44, (1), 33-8.

Legorburu, F. J.; Robinson, D. J.; Torrance, L., Features on the surface of the tobacco rattle tobaviruses particle that are antigenic and sensitive to proteolytic digestion. *J. Gen. Virol.* **1996**, 77 (Pt 5), 855-9.

Mercken, M.; Takahashi, H.; Honda, T.; Sato, K.; Murayama, M.; Nakazato, Y.; Noguchi, K.; Imahori, K.; Takashima, A., Characterization of human presenilin 1 using N-terminal specific monoclonal antibodies: Evidence that Alzheimer mutations affect proteolytic processing. *FEBS Lett.* **1996**, 389, (3), 297-303.

Nishiki, T.; Tokuyama, Y.; Kamata, Y.; Nemoto, Y.; Yoshida, A.; Sato, K.; Sekiguchi, M.; Takahashi, M.; Kozaki, S., The high-affinity binding of Clostridium botulinum type B neurotoxin to synaptotagmin II associated with gangliosides GT1b/GD1a. *FEBS Lett.* **1996**, 378, (3), 253-7.

Norman, T. C.; Gray, N. S.; Koh, J. T.; Schultz, P. G., A structure-based library approach to kinase inhibitors. *J. Am. Chem. Soc.* **1996**, 118, 7430-7431.

Peterson, E. M.; Cheng, X.; Qu, Z.; de la Maza, L. M., The effect of orientation within a chimeric peptide on the immunogenicity of Chlamydia trachomatis epitopes. *Mol. Immunol.* **1996**, 33, (4-5), 335-9.

Spuergin, P.; Mueller, H.; Walter, M.; Schiltz, E.; Forster, J., Allergenic epitopes of bovine alpha S1-casein recognized by human IgE and IgG. *Allergy* **1996**, 51, (5), 306-12.

Stokes, A.; Alber, D. G.; Cameron, R. S.; Marshall, R. N.; Allen, G. P.; Killington, R. A., The production of a truncated form of baculovirus expressed EHV-1 glycoprotein C and its role in protection of C3H (H-2K^b) mice against virus challenge. *Virus Res.* **1996**, 44, (2), 97-109.

Toye, P.; Nyanjui, J.; Goddeeris, B.; Musoke, A. J., Identification of neutralization and diagnostic epitopes on PIM, the polymorphic immunodominant molecule of Theileria parva. *Infection & Immunity* **1996**, 64, (5), 1832-8.

Westhoff, W. E.; Slootstra, J. W.; Puijk, W. C.; Kuperus, D.; Flinterman, J. F.; Schaaper, W. M.; Oonk, H. B.; Meloen, R. H., Detection of epitopes on follicle-stimulating hormone and FSH-antisera-induced suppression of bioactivity of follicle-stimulating hormone and luteinizing hormone. *J. Reprod. Immunol.* **1996**, 30, (2-3), 133-49.

- Allauzen, S.; Joly, S.; Granier, C.; Molina, F.; Bouix, O.; Pau, B.; Bouanani, M., Immunoanalysis of human insulin using monoclonal antibodies reveals antigenicity of evolutionarily conserved residues. *Mol. Immunol.* **1995**, 32, (1), 27-36.
- Chang, L.; Binos, S.; Savage, J., Epitope mapping of anti-proteinase 3 and anti-myeloperoxidase antibodies. *Clinical & Experimental Immunology* **1995**, 102, (1), 112-9.
- Fowler, W. J.; Garcia-Valcarcel, M.; Hill-Perkins, M. S.; Murphy, G.; Harper, D. R.; Jeffries, D. J.; Burns, N. R.; Adams, S. E.; Kingsman, A. J.; Layton, G. T., Identification of immunodominant regions and linear B cell epitopes of the gE envelope protein of varicella-zoster virus. *Virology* **1995**, 214, (2), 531-40.
- Gnjatic, S.; Bressac-de Paillerets, B.; Guillet, J. G.; Choppin, J., Mapping and ranking of potential cytotoxic T epitopes in the p53 protein: effect of mutations and polymorphism on peptide binding to purified and refolded HLA molecules. *Eur. J. Immunol.* **1995**, 25, (6), 1638-42.
- Joseph, G.; Pick, E., "Peptide walking" is a novel method for mapping functional domains in proteins. Its application to the Rac1-dependent activation of NADPH oxidase. *J. Biol. Chem.* **1995**, 270, (49), 29079-82.
- Kingston, I. B.; Castro, M. J.; Anderson, S., In vitro stimulation of tissue-type plasminogen activator by Alzheimer amyloid beta-peptide analogues. *Nat. Med.* **1995**, 1, (2), 138-42.
- Nagahira, K.; Fukuda, Y.; Terakawa, M.; Hashino, J.; Nasu, T.; Nakazato, H.; Nakanishi, T., Epitope mapping of monoclonal antibodies to tumor necrosis factor-alpha by synthetic peptide approach. *Immunol. Lett.* **1995**, 46, (1-2), 135-41.
- Rybicki, A. C.; Musto, S.; Schwartz, R. S., Identification of a band-3 binding site near the N-terminus of erythrocyte membrane protein 4.2. *Biochem. J.* **1995**, 309 (Pt 2), 677-81.
- Schutten, M.; Langedijk, J. P.; Andeweg, A. C.; Huisman, R. C.; Meloen, R. H.; Osterhaus, A. D., Characterization of a V3 domain-specific neutralizing human monoclonal antibody that preferentially recognizes non-syncytium-inducing human immunodeficiency virus type 1 strains. *J. Gen. Virol.* **1995**, 76 (Pt 7), 1665-73.
- Slootstra, J. W.; De Geus, P.; Haas, H.; Verrips, C. T.; Meloen, R. H., Possible active site of the sweet-tasting protein thaumatin. *Chem. Senses* **1995**, 20, (5), 535-43.
- Turbyfill, K. R.; Joseph, S. W.; Oaks, E. V., Recognition of three epitopic regions on invasion plasmid antigen C by immune sera of rhesus monkeys infected with Shigella flexneri 2a. *Infection & Immunity* **1995**, 63, (10), 3927-35.
- Tzartos, S. J.; Kouvatsou, R.; Tzartos, E., Monoclonal antibodies as site-specific probes for the acetylcholine-receptor delta-subunit tyrosine and serine phosphorylation sites. *Eur. J. Biochem.* **1995**, 228, (2), 463-72.
- Tzartos, S. J.; Tzartos, E.; Tzartos, J. S., Monoclonal antibodies against the acetylcholine receptor gamma-subunit as site specific probes for receptor tyrosine phosphorylation. *FEBS Lett.* **1995**, 363, (1-2), 195-8.
- Wucherpfennig, K. W.; Strominger, J. L., Molecular mimicry in T cell-mediated autoimmunity: viral peptides activate human T cell clones specific for myelin basic protein. *Cell* **1995**, 80, (5), 695-705.
- Beattie, J.; Holder, A. T., Location of an epitope defined by an enhancing monoclonal antibody to growth hormone: some structural details and biological implications. *Mol. Endocrinol.* **1994**, 8, (8), 1103-10.

- Bertoletti, A.; Costanzo, A.; Chisari, F. V.; Levrero, M.; Artini, M.; Sette, A.; Penna, A.; Giuberti, T.; Fiaccadori, F.; Ferrari, C., Cytotoxic T lymphocyte response to a wild type hepatitis B virus epitope in patients chronically infected by variant viruses carrying substitutions within the epitope. *J. Exp. Med.* **1994**, 180, (3), 933-43.
- Bertoletti, A.; Sette, A.; Chisari, F. V.; Penna, A.; Levrero, M.; De Carli, M.; Fiaccadori, F.; Ferrari, C., Natural variants of cytotoxic epitopes are T-cell receptor antagonists for antiviral cytotoxic T cells. *Nature* **1994**, 369, (6479), 407-10.
- de Ronde, A.; Stam, J. G.; Boers, P.; Langedijk, H.; Meloen, R.; Hesselink, W.; Keldermans, L. C.; van Vliet, A.; Verschoor, E. J.; Horzinek, M. C.; et al., Antibody response in cats to the envelope proteins of feline immunodeficiency virus: identification of an immunodominant neutralization domain. *Virology* **1994**, 198, (1), 257-64.
- Dirnhofer, S.; Lechner, O.; Madersbacher, S.; Klieber, R.; de Leeuw, R.; Wick, G.; Berger, P., Free alpha subunit of human chorionic gonadotrophin: molecular basis of immunologically and biologically active domains. *J. Endocrinol.* **1994**, 140, (1), 145-54.
- du Plessis, D. H.; Wang, L. F.; Jordaan, F. A.; Eaton, B. T., Fine mapping of a continuous epitope on VP7 of bluetongue virus using overlapping synthetic peptides and a random epitope library. *Virology* **1994**, 198, (1), 346-9.
- Gallop, M. A.; Barrett, R. W.; Dower, W. J.; Fodor, S. P.; Gordon, E. M., Applications of combinatorial technologies to drug discovery. 1. Background and peptide combinatorial libraries. *J. Med. Chem.* **1994**, 37, (9), 1233-51.
- Gordon, E. M.; Barrett, R. W.; Dower, W. J.; Fodor, S. P.; Gallop, M. A., Applications of combinatorial technologies to drug discovery. 2. Combinatorial organic synthesis, library screening strategies, and future directions. *J. Med. Chem.* **1994**, 37, (10), 1385-401.
- Jackson, D. C.; Drummer, H. E.; Brown, L. E., Conserved determinants for CD4+ T cells within the light chain of the H3 hemagglutinin molecule of influenza virus. *Virology* **1994**, 198, (2), 613-23.
- Jaskiewicz, E.; Czerwinski, M.; Syper, D.; Lisowska, E., Anti-M monoclonal antibodies cross-reacting with variant Mg antigen: an example of modulation of antigenic properties of peptide by its glycosylation. *Blood* **1994**, 84, (7), 2340-5.
- Mol, J. A.; van Wolferen, M.; Kwant, M.; Meloen, R., Predicted primary and antigenic structure of canine corticotropin releasing hormone. *Neuropeptides* **1994**, 27, (1), 7-13.
- Moola, Z. B.; Scawen, M. D.; Atkinson, T.; Nicholls, D. J., Erwinia chrysanthemi L-asparaginase: epitope mapping and production of antigenically modified enzymes. *Biochem. J.* **1994**, 302 (Pt 3), 921-7.
- O'Rand, M. G.; Widgren, E. E., Identification of sperm antigen targets for immunocontraception: B-cell epitope analysis of Sp17. *Reprod. Fertil. Dev.* **1994**, 6, (3), 289-96.
- Sallberg, M.; Ruden, U.; Wahren, B.; Magnus, L. O., Immune recognition of linear antigenic regions within the hepatitis B pre-C and C-gene translation products using synthetic peptides. *J. Med. Virol.* **1994**, 42, (1), 7-15.
- Sexton, J. L.; Wilce, M. C.; Colin, T.; Wijffels, G. L.; Salvatore, L.; Feil, S.; Parker, M. W.; Spithill, T. W.; Morrison, C. A., Vaccination of sheep against *Fasciola hepatica* with glutathione S-transferase. Identification and mapping of antibody epitopes on a three-dimensional model of the antigen. *J. Immunol.* **1994**, 152, (4), 1861-72.

van Amerongen, A.; Plasman, H. H.; Kuperus, D.; Kremer, L.; Rodriguez-Frade, J. M.; Albar, J. P.; Llopis, R.; Schaaper, W. M.; Meloen, R. H., Design of peptides with improved affinities for anti-human chorionic gonadotropin monoclonal antibodies. *Pept. Res.* **1994**, 7, (2), 83-90.

Virgilio, A. A.; Ellman, J. A., Simultaneous solid-phase synthesis of β -turn mimetics incorporating side-chain functionality. *J. Am. Chem. Soc.* **1994**, 116, 11580-11581.

Wentworth, P. A.; Bathurst, I.; Feucht, P. H.; Erlich, H. A.; Steimer, K. S., Epitopes recognized by HIV-SF2 nef-specific CD4+ T-cell clones generated from HIV-1-uninfected donors. *Vaccine* **1994**, 12, (2), 117-28.

Ahlborg, N.; Flyg, B. W.; Iqbal, J.; Perlmann, P.; Berzins, K., Epitope specificity and capacity to inhibit parasite growth in vitro of human antibodies to repeat sequences of the *Plasmodium falciparum* antigen Ag332. *Parasite Immunol.* **1993**, 15, (7), 391-400.

Ahlborg, N.; Larsson, A.; Perlmann, P.; Berzins, K., Analysis of a human monoclonal antibody reactive with multiple *Plasmodium falciparum* antigen repeat sequences using a solid phase affinity assay. *Immunol. Lett.* **1993**, 37, (2-3), 111-8.

Briggs, S.; Price, M. R.; Tendler, S. J., Fine specificity of antibody recognition of carcinoma-associated epithelial mucins: antibody binding to synthetic peptide epitopes. *European J Cancer* **1993**, 29A, (2), 230-7.

Brown, L. E.; White, D. O.; Jackson, D. C., Conservation of determinants for class II-restricted T cells within site E of influenza virus hemagglutinin and factors influencing their expression. *J. Virol.* **1993**, 67, (5), 2887-93.

Cortes, E.; San Martin, C.; Langeveld, J.; Meloen, R.; Dalsgaard, K.; Vela, C.; Casal, I., Topographical analysis of canine parvovirus virions and recombinant VP2 capsids. *J. Gen. Virol.* **1993**, 74 (Pt 9), 2005-10.

Devaux, C.; Juin, M.; Mansuelle, P.; Granier, C., Fine molecular analysis of the antigenicity of the *Androctonus australis hector* scorpion neurotoxin II: a new antigenic epitope disclosed by the Pepscan method. *Mol. Immunol.* **1993**, 30, (12), 1061-8.

Doig, P.; McCubbin, W. D.; Kay, C. M.; Trust, T. J., Distribution of surface-exposed and non-accessible amino acid sequences among the two major structural domains of the S-layer protein of *Aeromonas salmonicida*. *J. Mol. Biol.* **1993**, 233, (4), 753-65.

Laman, J. D.; Schellekens, M. M.; Lewis, G. K.; Moore, J. P.; Matthews, T. J.; Langedijk, J. P.; Meloen, R. H.; Boersma, W. J.; Claassen, E., A hidden region in the third variable domain of HIV-1 IIIB gp120 identified by a monoclonal antibody. *AIDS Res. Hum. Retroviruses* **1993**, 9, (7), 605-12.

Lubin, R.; Schlichtholz, B.; Bengoufa, D.; Zalcman, G.; Tredaniel, J.; Hirsch, A.; de Fromentel, C. C.; Preudhomme, C.; Fenaux, P.; Fournier, G.; et al., Analysis of p53 antibodies in patients with various cancers define B-cell epitopes of human p53: distribution on primary structure and exposure on protein surface. *Cancer Res.* **1993**, 53, (24), 5872-6.

Lucey, D. R.; VanCott, T. C.; Loomis, L. D.; Bethke, F. R.; Hendrix, C. W.; Melcher, G. P.; Redfield, R. R.; Birx, D. L., Measurement of cerebrospinal fluid antibody to the HIV-1 principal neutralizing determinant (V3 loop). *J. Acquir. Immune Defic. Syndr.* **1993**, 6, (9), 994-1001.

Pal, S.; Cheng, X.; Peterson, E. M.; de la Maza, L. M., Mapping of a surface-exposed B-cell epitope to the variable sequent 3 of the major outer-membrane protein of *Chlamydia trachomatis*. *J. Gen. Microbiol.* **1993**, 139 (Pt 7), 1565-70.

Papadouli, I.; Sakarellos, C.; Tzartos, S. J., High-resolution epitope mapping and fine antigenic characterization of the main immunogenic region of the acetylcholine receptor. Improving the binding activity of synthetic analogues of the region. *Eur. J. Biochem.* **1993**, 211, (1-2), 227-34.

Pauls, J. D.; Edworthy, S. M.; Fritzler, M. J., Epitope mapping of histone 5 (H5) with systemic lupus erythematosus, procainamide-induced lupus and hydralazine-induced lupus sera. *Mol. Immunol.* **1993**, 30, (8), 709-19.

Schwab, C.; Twardek, A.; Lo, T. P.; Brayer, G. D.; Bosshard, H. R., Mapping antibody binding sites on cytochrome c with synthetic peptides: are results representative of the antigenic structure of proteins? *Protein Sci.* **1993**, 2, (2), 175-82.

Tzartos, S. J.; Valcana, C.; Kouvatou, R.; Kokla, A., The tyrosine phosphorylation site of the acetylcholine receptor beta subunit is located in a highly immunogenic epitope implicated in channel function: antibody probes for beta subunit phosphorylation and function. *EMBO J.* **1993**, 12, (13), 5141-9.

van der Heijden, R. W.; Langedijk, J. P.; Groen, J.; UytdeHaag, F. G.; Meloen, R. H.; Osterhaus, A. D., Structural and functional studies on a unique linear neutralizing antigenic site (G5) of the rabies virus glycoprotein. *J. Gen. Virol.* **1993**, 74 (Pt 8), 1539-45.

Vella, C.; Ferguson, M.; Dunn, G.; Meloen, R.; Langedijk, H.; Evans, D.; Minor, P. D., Characterization and primary structure of a human immunodeficiency virus type 1 (HIV-1) neutralization domain as presented by a poliovirus type 1/HIV-1 chimera. *J. Gen. Virol.* **1993**, 74 (Pt 12), 2603-7.

Worthington, J.; Morgan, K., Epitope mapping using synthetic peptides. In *Peptide Antigens - A Practical Approach*, IRL Press: Oxford, 1993; pp 181-217.

Beattie, J., Investigation of the solid- and solution-phase binding reactivities of continuous epitopes recognized by polyclonal guinea-pig anti-recombinant bovine growth hormone antisera. *Journal Of Molecular Recognition* **1992**, 5, (3), 99-104.

Beattie, J.; Fawcett, H. A.; Flint, D. J., The use of multiple-pin peptide synthesis in an analysis of the continuous epitopes recognised by various anti-(recombinant bovine growth hormone) sera. Comparison with predicted regions of immunogenicity and location within the three-dimensional structure of the molecule. *Eur. J. Biochem.* **1992**, 210, (1), 59-66.

Carter, J. M.; Vanalbert, S.; Lee, J.; Lyon, J.; Deal, C., Shedding light on peptide synthesis. *Biotechnology. (N. Y.)* **1992**, 10, (5), 509-13.

Ching, W. M.; Wychowski, C.; Beach, M. J.; Wang, H.; Davies, C. L.; Carl, M.; Bradley, D. W.; Alter, H. J.; Feinstone, S. M.; Shih, J. W., Interaction of immune sera with synthetic peptides corresponding to the structural protein region of hepatitis C virus. *Proc. Nat. Acad. Sci. USA* **1992**, 89, (8), 3190-4.

Doel, T. R.; Doel, C. M.; Staple, R. F.; DiMarchi, R., Cross-reactive and serotype-specific antibodies against foot-and-mouth disease virus generated by different regions of the same synthetic peptide. *J. Virol.* **1992**, 66, (4), 2187-94.

Elsaghier, A.; Lathigra, R.; Ivanyi, J., Localisation of linear epitopes at the carboxy-terminal end of the mycobacterial 71 kDa heat shock protein. *Mol. Immunol.* **1992**, 29, (9), 1153-6.

Geluk, A.; Van Meijgaarden, K. E.; Janson, A. A.; Drijfhout, J. W.; Meloen, R. H.; De Vries, R. R.; Ottenhoff, T. H., Functional analysis of DR17(DR3)-restricted mycobacterial T cell epitopes reveals DR17-binding motif and enables the design of allele-specific competitor peptides. *J. Immunol.* **1992**, 149, (9), 2864-71.

Godet, M.; L'Haridon, R.; Vautherot, J. F.; Laude, H., TGEV corona virus ORF4 encodes a membrane protein that is incorporated into virions. *Virology* **1992**, 188, (2), 666-75.

Grziwa, A.; Dahlmann, B.; Cejka, Z.; Santarius, U.; Baumeister, W., Localization of a sequence motif complementary to the nuclear localization signal in proteasomes from *Thermoplasma acidophilum* by immunoelectron microscopy. *J. Struct. Biol.* **1992**, 109, (2), 168-75.

James, J. A.; Harley, J. B., Linear epitope mapping of an Sm B/B' polypeptide. *J. Immunol.* **1992**, 148, (7), 2074-9.

Javaherian, K.; Langlois, A. J.; Schmidt, S.; Kaufmann, M.; Cates, N.; Langedijk, J. P.; Meloen, R. H.; Desrosiers, R. C.; Burns, D. P.; Bolognesi, D. P.; et al., The principal neutralization determinant of simian immunodeficiency virus differs from that of human immunodeficiency virus type 1. *Proc. Nat. Acad. Sci. USA* **1992**, 89, (4), 1418-22.

Jung, G.; Beck-Sickinger, A. G., Multiple peptide synthesis methods and their applications. *Angew. Chem.* **1992**, 31, 367-486.

Kaur, M.; Hyams, K. C.; Purdy, M. A.; Krawczynski, K.; Ching, W. M.; Fry, K. E.; Reyes, G. R.; Bradley, D. W.; Carl, M., Human linear B-cell epitopes encoded by the hepatitis E virus include determinants in the RNA-dependent RNA polymerase. *Proc. Nat. Acad. Sci. USA* **1992**, 89, (9), 3855-8.

Kohli, E.; Maurice, L.; Vautherot, J. F.; Bourgeois, C.; Bour, J. B.; Cohen, J.; Pothier, P., Localization of group-specific epitopes on the major capsid protein of group A rotavirus. *J. Gen. Virol.* **1992**, 73 (Pt 4), 907-14.

Laman, J. D.; Schellekens, M. M.; Abacioglu, Y. H.; Lewis, G. K.; Tersmette, M.; Fouchier, R. A.; Langedijk, J. P.; Claasen, E.; Boersma, W. J., Variant-specific monoclonal and group-specific polyclonal human immunodeficiency virus type 1 neutralizing antibodies raised with synthetic peptides from the gp120 third variable domain. *J. Virol.* **1992**, 66, (8), 5175.

Langedijk, J. P.; Back, N. K.; Kinney-Thomas, E.; Bruck, C.; Francotte, M.; Goudsmit, J.; Meloen, R. H., Comparison and fine mapping of both high and low neutralizing monoclonal antibodies against the principal neutralization domain of HIV-1. *Archives in Virology* **1992**, 126, (1-4), 129-46.

Lemon, S. M.; Barclay, W.; Ferguson, M.; Murphy, P.; Jing, L.; Burke, K.; Wood, D.; Katrak, K.; Sangar, D.; Minor, P. D.; et al., Immunogenicity and antigenicity of chimeric picornaviruses which express hepatitis A virus (HAV) peptide sequences: evidence for a neutralization domain near the amino terminus of VP1 of HAV. *Virology* **1992**, 188, (1), 285-95.

Mahon, B. P.; Katrak, K.; Mills, K. H., Antigenic sequences of poliovirus recognized by T cells: serotype-specific epitopes on VP1 and VP3 and cross-reactive epitopes on VP4 defined by using CD4+ T-cell clones. *J. Virol.* **1992**, 66, (12), 7012-20.

Nelson, S.; Shelton, G. D.; Lei, S.; Lindstrom, J. M.; Conti-Tronconi, B. M., Epitope mapping of monoclonal antibodies to Torpedo acetylcholine receptor gamma subunits, which specifically recognize the epsilon subunit of mammalian muscle acetylcholine receptor. *J. Neuroimmunol.* **1992**, 36, (1), 13-27.

Richter, A.; Conlan, J. W.; Ward, M. E.; Chamberlin, S. G.; Alexander, P.; Richards, N. G.; Davies, D. E., Multidomain binding of transforming growth factor alpha to the epidermal growth factor receptor. *Biochemistry* **1992**, 31, (40), 9546-54.

Soteriadou, K. P.; Remoundos, M. S.; Katsikas, M. C.; Tzinia, A. K.; Tsikaris, V.; Sakarellos, C.; Tzartos, S. J., The Ser-Arg-Tyr-Asp region of the major surface glycoprotein of *Leishmania* mimics the Arg-Gly-Asp-Ser cell attachment region of fibronectin. *J. Biol. Chem.* **1992**, 267, (20), 13980-5.

Tahtinen, M.; Gombert, F.; Hyytinen, E. R.; Jung, G.; Ranki, A.; Krohn, K. J., Fine specificity of the B-cell epitopes recognized in HIV-1 NEF by human sera. *Virology* **1992**, 187, (1), 156-64.

Takahashi, I.; Matsushita, K.; Nisizawa, T.; Okahashi, N.; Russell, M. W.; Suzuki, Y.; Munekata, E.; Koga, T., Genetic control of immune responses in mice to synthetic peptides of a Streptococcus mutans surface protein antigen. *Infection & Immunity* **1992**, 60, (2), 623-9.

Tampe, J.; Broszio, P.; Manneck, H. E.; Missbichler, A.; Blind, E.; Muller, K. B.; Schmidt-Gayk, H.; Armbruster, F. P., Characterization of antibodies against human N-terminal parathyroid hormone by epitope mapping. *J. Immunoassay* **1992**, 13, (1), 1-13.

Tzartos, S. J.; Remoundos, M. S., Precise epitope mapping of monoclonal antibodies to the cytoplasmic side of the acetylcholine receptor alpha subunit. Dissecting a potentially myasthenogenic epitope. *Eur. J. Biochem.* **1992**, 207, (3), 915-22.

Vinga-Martins, C.; Schneider, T.; Werno, A.; Roenspeck, W.; Pauli, G.; Mueller-Lantzsch, N., Mapping of immunodominant epitopes of the HIV-1 and HIV-2 integrase proteins by recombinant proteins and synthetic peptides. *AIDS Res. Hum. Retroviruses* **1992**, 8, (7), 1301-10.

Williams, R. C., Jr.; Kievit, E.; Tsuchiya, N.; Malone, C.; Hutt-Fletcher, L., Differential mapping of Fc gamma-binding and monoclonal antibody-reactive epitopes on gE, the Fc gamma-binding glycoprotein of herpes simplex virus type 1. *J. Immunol.* **1992**, 149, (7), 2415-27.

Xing, P. X.; Prenzoska, J.; McKenzie, I. F., Epitope mapping of anti-breast and anti-ovarian mucin monoclonal antibodies. *Mol. Immunol.* **1992**, 29, (5), 641-50.

Xing, P. X.; Prenzoska, J.; Quelch, K.; McKenzie, I. F., Second generation anti-MUC1 peptide monoclonal antibodies. *Cancer Res.* **1992**, 52, (8), 2310-7.

Zwickl, P.; Grziwa, A.; Puhler, G.; Dahlmann, B.; Lottspeich, F.; Baumeister, W., Primary structure of the Thermoplasma proteasome and its implications for the structure, function, and evolution of the multicatalytic proteinase. *Biochemistry* **1992**, 31, (4), 964-72.

Ahlborg, N.; Berzins, K.; Perlmann, P., Definition of the epitope recognized by the Plasmodium falciparum-reactive human monoclonal antibody 33G2. *Mol. Biochem. Parasit.* **1991**, 46, (1), 89-95.

Charoenvit, Y.; Collins, W. E.; Jones, T. R.; Millet, P.; Yuan, L.; Campbell, G. H.; Beaudoin, R. L.; Broderson, J. R.; Hoffman, S. L., Inability of malaria vaccine to induce antibodies to a protective epitope within its sequence. *Science* **1991**, 251, (4994), 668-71.

Coursaget, P.; Lesage, G.; Le Cann, P.; Mayelo, V.; Bourdil, C., Mapping of linear B-cell epitopes of hepatitis B surface antigen. *Res. Virol.* **1991**, 142, (6), 461-7.

Das, M. K.; Lindstrom, J., Epitope mapping of antibodies to acetylcholine receptor alpha subunits using peptides synthesized on polypropylene pegs. *Biochemistry* **1991**, 30, (9), 2470-7.

de Wolf, F.; Meloen, R. H.; Bakker, M.; Barin, F.; Goudsmit, J., Characterization of human antibody-binding sites on the external envelope of human immunodeficiency virus type 2. *J. Gen. Virol.* **1991**, 72 (Pt 6), 1261-7.

Gebauer, F.; Posthumus, W. P.; Correa, I.; Sune, C.; Smerdou, C.; Sanchez, C. M.; Lenstra, J. A.; Meloen, R. H.; Enjuanes, L., Residues involved in the antigenic sites of transmissible gastroenteritis coronavirus S glycoprotein. *Virology* **1991**, 183, (1), 225-38.

Heckels, J. E.; Tinsley, C. R.; Butt, N.; McGuinness, B. T.; Virji, M.; Lambden, P. R.; Clarke, I. N., Immunobiology of *Neisseria* porin proteins and mapping of epitopes with vaccine potential. In *Neisseria 1990*, Acthman, M., Ed. de Gruyter: Berlin, 1991.

Jackson, D. C.; Brown, L. E., A synthetic peptide of influenza virus hemagglutinin as a model antigen and immunogen. *Pept. Res.* **1991**, 4, (3), 114-24.

Kazemi, M.; Finkelstein, R. A., Mapping epitopic regions of cholera toxin B-subunit protein. *Mol. Immunol.* **1991**, 28, (8), 865-76.

Klatser, P. R.; De Wit, M. Y.; Kolk, A. H.; Hartskeerl, R. A., Characterization of murine B-cell epitopes on the *Mycobacterium leprae* proline-rich antigen by use of synthetic peptides. *Infection & Immunity* **1991**, 59, (1), 433-6.

McGuinness, B. T.; Clarke, I. N.; Lambden, P. R.; Barlow, A. K.; Poolman, J. T.; Jones, D. M.; Heckels, J. E., Point mutation in meningococcal por A gene associated with increased endemic disease. *Lancet* **1991**, 337, (8740), 514-7.

Meloen, R. H.; Amerongen, A. V.; Hage-Van Noort, M.; Langedijk, J. P.; Posthumus, W. P.; Puyk, W. C.; Plasman, H.; Lenstra, J. A.; Langeveld, J. P., The use of peptides to reconstruct conformational determinants; a brief review. *Ann. Biol. Clin. (Paris)* **1991**, 49, (4), 231-41.

Novak, J.; Sova, P.; Krchnak, V.; Hamsikova, E.; Zavadova, H.; Roubal, J., Mapping of serologically relevant regions of human cytomegalovirus phosphoprotein pp150 using synthetic peptides. *J. Gen. Virol.* **1991**, 72 (Pt 6), 1409-13.

Posthumus, W. P.; Lenstra, J. A.; van Nieuwstadt, A. P.; Schaaper, W. M.; van der Zeijst, B. A.; Meloen, R. H., Immunogenicity of peptides simulating a neutralization epitope of transmissible gastroenteritis virus. *Virology* **1991**, 182, (1), 371-5.

Savoca, R.; Schwab, C.; Bosshard, H. R., Epitope mapping employing immobilized synthetic peptides. How specific is the reactivity of these peptides with antiserum raised against the parent protein? *J. Immunol. Methods* **1991**, 141, (2), 245-52.

Scofield, R. H.; Harley, J. B., Autoantigenicity of Ro/SSA antigen is related to a nucleocapsid protein of vesicular stomatitis virus. *Proc. Nat. Acad. Sci. USA* **1991**, 88, (8), 3343-7.

Snijders, A.; Benissa-Trouw, B. J.; Oosterlaken, T. A.; Puijk, W. C.; Posthumus, W. P.; Meloen, R. H.; Boere, W. A.; Oosting, J. D.; Kraaijeveld, C. A.; Snippe, H., Identification of linear epitopes on Semliki Forest virus E2 membrane protein and their effectiveness as a synthetic peptide vaccine. *J. Gen. Virol.* **1991**, 72 (Pt 3), 557-65.

Stiles, B. G.; Middlebrook, J. L., Epitope mapping studies of snake venom phospholipase A2 using monoclonal antibodies. *Advances in Experimental Medicine & Biology* **1991**, 303, 243-8.

Stiles, B. G.; Middlebrook, J. L., Epitope mapping of snake venom phospholipases A2 with pseudexin monoclonal antibodies. *J. Protein Chem.* **1991**, 10, (2), 193-204.

Trifilieff, E.; Dubs, M. C.; Van Regenmortel, M. H., Antigenic cross-reactivity potential of synthetic peptides immobilized on polyethylene rods. *Mol. Immunol.* **1991**, 28, (8), 889-96.

Verbon, A.; Hartskeerl, R. A.; Kolk, A. H., Murine and human B cell epitope mapping of the *Mycobacterium tuberculosis* 10-kD heat shock protein using overlapping peptides. *Clinical & Experimental Immunology* **1991**, 86, (1), 6-12.

Xing, P. X.; Reynolds, K.; Pietersz, G. A.; McKenzie, I. F., Effect of variations in peptide sequence on anti-human milk fat globule membrane antibody reactions. *Immunology* **1991**, 72, (2), 304-11.

- Boucher, C. A.; Krone, W. J.; Goudsmit, J.; Meloen, R. H.; Naylor, P. H.; Goldstein, A. L.; Sun, D. K.; Sarin, P. S., Immune response and epitope mapping of a candidate HIV-1 p17 vaccine HGP30. *J. Clin. Lab. Anal.* **1990**, 4, (1), 43-7.
- Brake, D. A.; Goudsmit, J.; Krone, W. J.; Schammel, P.; Appleby, N.; Meloen, R. H.; Debouck, C., Characterization of murine monoclonal antibodies to the tat protein from human immunodeficiency virus type 1. *J. Virol.* **1990**, 64, (2), 962-5.
- Butt, N. J.; Virji, M.; Vayreda, F.; Lambden, P. R.; Heckels, J. E., Gonococcal outer-membrane protein PIB: comparative sequence analysis and localization of epitopes which are recognized by type-specific and cross-reacting monoclonal antibodies. *J. Gen. Microbiol.* **1990**, 136 (Pt 11), 2165-72.
- Clarke, J. L.; Drake, A. F.; Wallace, G. R.; Allen, A. K.; Kelly, J. M.; Miles, M. A., Pepscan and circular-dichroism analysis of a repetitive antigen of *Trypanosoma cruzi*. *Biochem. Soc. Trans.* **1990**, 18, (5), 868-9.
- Gombert, F. O.; Blecha, W.; Tahtinen, M.; Ranki, A.; Pfeifer, S.; Troger, W.; Braun, R.; Muller-Lantzsch, N.; Jung, G.; Rubsam-Waigmann, H.; et al., Antigenic epitopes of NEF proteins from different HIV-1 strains as recognized by sera from patients with manifest and latent HIV infection. *Virology* **1990**, 176, (2), 458-66.
- Goudsmit, J.; Meloen, R. H.; Brasseur, R., Map of sequential B cell epitopes of the HIV-1 transmembrane protein using human antibodies as probe. *Intervirology* **1990**, 31, (6), 327-38.
- Heckels, J. E.; Virji, M.; Tinsley, C. R., Vaccination against gonorrhoea: the potential protective effect of immunization with a synthetic peptide containing a conserved epitope of gonococcal outer membrane protein IB. *Vaccine* **1990**, 8, (3), 225-30.
- Jacobs, L.; Meloen, R. H.; Gielkens, A. L.; Van Oirschot, J. T., Epitope analysis of glycoprotein I of pseudorabies virus. *J. Gen. Virol.* **1990**, 71 (Pt 4), 881-7.
- Lehtinen, M.; Parkkonen, P.; Niemela, J.; Paavonen, J., Demonstration of evolutionary differences between conserved antigenic epitopes in the minor nucleocapsid protein of human papillomavirus types 6b, 16 and 18. *Biochem. Biophys. Res. Commun.* **1990**, 172, (3), 1378-83.
- McGuinness, B.; Barlow, A. K.; Clarke, I. N.; Farley, J. E.; Anilionis, A.; Poolman, J. T.; Heckels, J. E., Deduced amino acid sequences of class 1 protein (PorA) from three strains of *Neisseria meningitidis*. Synthetic peptides define the epitopes responsible for serosubtype specificity. *J. Exp. Med.* **1990**, 171, (6), 1871-82.
- Posthumus, W. P.; Lenstra, J. A.; Schaaper, W. M.; van Nieuwstadt, A. P.; Enjuanes, L.; Meloen, R. H., Analysis and simulation of a neutralizing epitope of transmissible gastroenteritis virus. *J. Virol.* **1990**, 64, (7), 3304-9.
- Price, K. M.; Cuthbertson, A. S.; Varndell, I. M.; Sheppard, P. W., The production and characterisation of monoclonal antibodies to myc, c-erbB-2 and EFG-receptor using a synthetic peptide approach. *Dev Biol Stand* **1990**, 71, 23-31.
- Tan, X. H.; Ratnam, M.; Huang, S. M.; Smith, P. L.; Freisheim, J. H., Mapping the antigenic epitopes of human dihydrofolate reductase by systematic synthesis of peptides on solid supports. *J. Biol. Chem.* **1990**, 265, (14), 8022-6.
- Tzartos, S. J.; Remoundos, M. S., Fine localization of the major alpha-bungarotoxin binding site to residues alpha 189-195 of the Torpedo acetylcholine receptor. Residues 189, 190, and 195 are indispensable for binding. *J. Biol. Chem.* **1990**, 265, (35), 21462-7.

Van Bleek, G. M.; Nathenson, S. G., Isolation of an endogenously processed immunodominant viral peptide from the class I H-2K_b molecule. *Nature* **1990**, 348, (6298), 213-6.

Wang, J. G.; Jansen, R. W.; Brown, E. A.; Lemon, S. M., Immunogenic domains of hepatitis delta virus antigen: peptide mapping of epitopes recognized by human and woodchuck antibodies. *J. Virol.* **1990**, 64, (3), 1108-16.

Carter, J. M.; Lyon, J. A. In *Characterization of hardware for peptide synthesis using Geysen's method, and epitope scanning of a malarial protein*, Proceedings of the 11th American Peptide Symposium, Leiden, 1989; Rivier, J. E.; Marshall, G. R., Eds. ESCOM: Leiden, 1989; pp 721-723.

Cason, J.; Patel, D.; Naylor, J.; Lunney, D.; Shepherd, P. S.; Best, J. M.; McCance, D. J., Identification of immunogenic regions of the major coat protein of human papillomavirus type 16 that contain type-restricted epitopes. *J. Gen. Virol.* **1989**, 70 (Pt 11), 2973-87.

Conlan, J. W.; Kajbaf, M.; Clarke, I. N.; Chantler, S.; Ward, M. E., The major outer membrane protein of Chlamydia trachomatis: critical binding site and conformation determine the specificity of antibody binding to viable chlamydiae. *Mol. Microbiol.* **1989**, 3, (3), 311-8.

Goudsmit, J.; Meloen, R. H.; Brasseur, R.; Barin, F., Human B-cell epitopes of HIV-2 transmembrane protein are similarly spaced as in HIV-1. *J. Acquir. Immune Defic. Syndr.* **1989**, 2, (3), 297-302.

Hoeprich, P. D.; Martin, S.; Langton, B.; Harkins, R.; Volin, C.; Tam, J. P. In *Epitope mapping of human transforming growth factor*, Proceedings of the 11th American Peptide Symposium, Leiden, 1989; Rivier, J. E.; Marshall, G. R., Eds. ESCOM: Leiden, 1989; pp 758-761.

Kusters, J. G.; Jager, E. J.; Lenstra, J. A.; Koch, G.; Posthumus, W. P.; Meloen, R. H.; van der Zeijst, B. A., Analysis of an immunodominant region of infectious bronchitis virus. *J. Immunol.* **1989**, 143, (8), 2692-8.

Luytjes, W.; Geerts, D.; Posthumus, W.; Meloen, R.; Spaan, W., Amino acid sequence of a conserved neutralizing epitope of murine coronaviruses. *J. Virol.* **1989**, 63, (3), 1408-12.

Papsidero, L. D.; Sheu, M.; Ruscetti, F. W., Human immunodeficiency virus type 1-neutralizing monoclonal antibodies which react with p17 core protein: characterization and epitope mapping. *J. Virol.* **1989**, 63, (1), 267-72.

Ralston, S.; Hoeprich, P.; Akita, R., Identification and synthesis of the epitope for a human monoclonal antibody which can neutralize human T-cell leukemia/lymphotropic virus type I. *J. Biol. Chem.* **1989**, 264, (28), 16343-6.

Singh, K.; Sheridan, P.; Aldwin, L.; Nitecki, D. E. In *Mapping of a monoclonal antibody to FeLV gp70*, Proceedings of the 11th American Peptide Symposium, Leiden, 1989; Rivier, J. E.; Marshall, G. R., Eds. ESCOM: Leiden, 1989; pp 898-899.

van Amerongen, A.; Sauerwein, R. W.; Beckers, P. J.; Meloen, R. H.; Meuwissen, J. H., Identification of a peptide sequence of the 25 kD surface protein of Plasmodium falciparum recognized by transmission-blocking monoclonal antibodies: implications for synthetic vaccine development. *Parasite Immunol.* **1989**, 11, (4), 425-8.

Van der Zee, R.; Van Eden, W.; Meloen, R. H.; Noordzij, A.; Van Embden, J. D., Efficient mapping and characterization of a T cell epitope by the simultaneous synthesis of multiple peptides. *Eur. J. Immunol.* **1989**, 19, (1), 43-7.

Virji, M.; Heckels, J. E., Location of a blocking epitope on outer-membrane protein III of Neisseria gonorrhoeae by synthetic peptide analysis. *J. Gen. Microbiol.* **1989**, 135 (Pt 7), 1895-9.

Virji, M.; Heckels, J. E.; Potts, W. J.; Hart, C. A.; Saunders, J. R., Identification of epitopes recognized by monoclonal antibodies SM1 and SM2 which react with all pili of *Neisseria gonorrhoeae* but which differentiate between two structural classes of pili expressed by *Neisseria meningitidis* and the distribution of their encoding sequences in the genomes of *Neisseria* spp. *J. Gen. Microbiol.* **1989**, 135 (Pt 12), 3239-51.

Walsh, B. J.; Howden, M. E., A method for the detection of IgE binding sequences of allergens based on a modification of epitope mapping. *J. Immunol. Methods* **1989**, 121, (2), 275-80.

Conlan, J. W.; Clarke, I. N.; Ward, M. E., Epitope mapping with solid-phase peptides: identification of type-, subspecies-, species- and genus-reactive antibody binding domains on the major outer membrane protein of *Chlamydia trachomatis*. *Mol. Microbiol.* **1988**, 2, (5), 673-9.

Goudsmit, J.; Boucher, C. A.; Meloen, R. H.; Epstein, L. G.; Smit, L.; van der Hoek, L.; Bakker, M., Human antibody response to a strain-specific HIV-1 gp120 epitope associated with cell fusion inhibition. *Aids* **1988**, 2, (3), 157-64.

Goudsmit, J.; Debouck, C.; Meloen, R. H.; Smit, L.; Bakker, M.; Asher, D. M.; Wolff, A. V.; Gibbs, C. J., Jr.; Gajdusek, D. C., Human immunodeficiency virus type 1 neutralization epitope with conserved architecture elicits early type-specific antibodies in experimentally infected chimpanzees. *Proc. Nat. Acad. Sci. USA* **1988**, 85, (12), 4478-82.

Krone, W. J.; Debouck, C.; Epstein, L. G.; Heutink, P.; Meloen, R.; Goudsmit, J., Natural antibodies to HIV-tat epitopes and expression of HIV-1 genes in vivo. *J. Med. Virol.* **1988**, 26, (3), 261-70.

Meloen, R. H.; Puyk, W. C.; Meijer, D. J.; Lankhof, H.; Posthumus, W. P.; Schaaper, W. M., Antigenicity and immunogenicity of synthetic peptides of foot-and-mouth disease virus. *J. Gen. Virol.* **1987**, 68 (Pt 2), 305-14.

Novotny, J.; Brucolieri, R. E.; Carlson, W. D.; Handschumacher, M.; Haber, E., Antigenicity of myohemerythrin. *Science* **1987**, 238, (4833), 1584-6.

Meloen, R. H.; Barteling, S. J., Epitope mapping of the outer structural protein VP1 of three different serotypes of foot-and-mouth disease virus. *Virology* **1986**, 149, (1), 55-63.

Meloen, R. H.; Puyk, W. C.; Heijer, D. J. A.; Lankhof, H.; Posthumus, W. P. A.; W.M.M., S., The use of peptides to locate epitopes on the surface of foot-and-mouth disease virus. *Protides Biol. Fluids* **1986**, 34, 103.